

PLEASE NOTE:

The *Government of Canada Workplace Fit-up Standards* is an evergreen document. It is updated regularly to ensure it remains aligned with the latest direction regarding fit-up, funding accountabilities, government priorities and initiatives, as well as other factors. This version of the Standards has been updated based on the approval of the Treasury Board submission on split funding (July 2019).

Thank you.

GOVERNMENT OF CANADA

Workplace Fit-up Standards



November 2022



Public Services and
Procurement Canada

Services publics et
Approvisionnement Canada

Canada

Table of Contents

Section A: General-purpose Office Space Standards

A1. Overview	A-01
A2. Approvals and Governance	A-05
A2.1 Compliance	A-05
A2.2 Process for Approval of Compliance Exemptions and Special Purpose Space	A-09
A2.3 Submission of Compliance Exemptions Requests	A-18
A2.4 Criteria for Evaluating Compliance Exemption Requests	A-19
A2.5 Compliance Trends and Reporting	A-20
A2.6 Compliance Monitoring Form	A-21
A2.7 Business Case Template for Program-Wide Requests	A-23
A3. Funding Accountabilities of PSPC and Client Departments	A-27
A3.1 Funding Accountabilities by Occupancy Instrument Type	A-27
A3.2 Fit-up Elements and Funding Accountabilities	A-30
A4. Planning and Design	A-42
A5. Finishes	A-43
A5.1 Finishes	A-43
A6. Costing	A-44
A6.1 Fit-up Rates	A-44
A6.2 Source of Funds for Non-compliant Workplace Fit-up Elements	A-54
A6.3 Additional Direct and Indirect Costs	A-55
A6.4 Project Delivery Cost Controls	A-57
A7. Fit-up Cost Estimate and Tools	A-58
A7.1 Fit-up Cost Estimate	A-58
A7.2 The Real Property Space Assessment and Planning App	A-59

Section B: **Ministerial and Deputy Head Office Accommodations**

B1. Introduction	B-01
B1.1 General Information	B-01
B2. Standards	B-02
B2.1 Fit-up Elements and Funding Accountabilities	B-02
B2.2 Office and Support Space Allocations	B-05
B3. Planning	B-07
B3.1 Planning and Design	B-07
B4. Sample Detail Drawings	B-08
B4.1 Offices	B-08
B4.2 Support Spaces	B-23
B5. Costing	B-24
B5.1 Cost Estimates	B-24

Section C: **Quasi-judicial Accommodations**

C1. Introduction	C-01
C1.1 General Information	C-01
C1.2 Application	C-01
C2. Standards	C-03
C2.1 Fit-up Elements and Funding Accountabilities	C-03
C2.2 Office and Support Space Allocations	C-04
C3. Planning	C-07
C3.1 Planning and Design	C-07
C4. Sample Detail Drawings	C-08
C4.1 Support Space	C-08
C4.2 Typical Employee Washroom	C-11
C5. Costing	C-12
C5.1 Cost Estimates	C-12



Section D: Call/Contact Centres Accommodations

D1. Introduction	D-01
D1.1 General Information	D-01
D1.2 Application	D-01
D2. Standards	D-02
D2.1 Fit-up Elements and Funding Accountabilities	D-02
D2.2 Office and Support Space Allocations	D-04
D2.3 Standards for Furniture Panels/Screens	D-10
D3. Planning	D-12
D3.1 Planning and Design	D-12
D3.2 Sample Plan	D-13
D4. Sample Detail Drawings	D-15
D4.1 Typical Workstation Configurations	D-15
D4.2 Support Space	D-16
D5. Costing	D-22
D5.1 Cost Estimates	D-22



Glossary

Glossary	Glossary-01
--------------------	-------------

Message from the Assistant Deputy Minister

GCworkplace is the shared vision for the Government of Canada workplace; a vision established collaboratively with your input, and supported by the Government of Canada Fit-up Standards. GCworkplace guides the delivery of workplace modernization projects and solutions offered by Public Services and Procurement Canada (PSPC) to federal organizations. Over the last five years, your support, along with the support of the Treasury Board of Canada Secretariat, has allowed us to innovate, learn, and tremendously improve our ability to provide these solutions.

GCworkplace stems from your input; it is informed by lessons learned and research on global workplace trends and innovations. At its core, workplace solutions stem from the GCworkplace vision and strive to achieve the seven dimensions you have identified: a workplace that is **flexible, healthy, efficient, inclusive, collaborative, digital and green**.

In July 2019, Treasury Board of Canada Secretariat approved a revision to fit-up funding accountability, providing PSPC with responsibility over a broader portion of office fit-up costs. For non-reimbursing clients, this new funding reduces their overall fit-up cost obligations. For PSPC, it allows for better management of office portfolio planning. We have updated the Fit-up Standards document to reflect this new accountability, which will facilitate a smoother shift to GCworkplace for all federal organizations.

While the events of 2020 have added a layer of complexity and uncertainty in some areas, they have also accelerated the adoption of a work environment previously believed by some to be many years away (e.g.: online tools, telework, and mobile capabilities). This has opened up new possibilities for how we work, and highlights the importance of the easy adaptability of a GCworkplace to our new environment.

GCworkplace is about more than just new workspaces and new furniture. It is a holistic approach to workplace modernization that supports the new way of working in a mobile, connected and high-performing public service. It is no longer about where you work, but rather what you do and how you work. It is about ensuring we are integrating our space, technology and human resource strategies to make them work for you. It is about equipping you with the right tools, processes and organizational culture to support fundamental changes in the way we live and work. It is about building something together so that we may give our very best service to Canadians.

The *Government of Canada Workplace Fit-up Standards* and the supporting tools provide the baseline for establishing innovative activity-based work environments that accommodate diverse work styles, meet accessibility requirements, support alternative work strategies, incorporate modern technology, and include sustainable design principles.

Our new environment has accelerated the need for GCworkplace and the tools are now in place to make it happen. Together, we will continue to transform the experience of working for the Government of Canada.

Stéphan Déry
Assistant Deputy Minister
Real Property Services
Public Services and Procurement Canada



Section A: General-purpose Office Space Standards



A1. Overview

Application

The *Government of Canada Workplace Fit-up Standards* apply to:

- All office accommodation under the administration of PSPC as provided to federal departments and agencies, whether reimbursing or non-reimbursing. This includes the following office space categories; general administrative, secure administrative, quasi-judicial office space, call/contact centre space as well as for ministerial and deputy head accommodation. The additional security requirements of secure administrative office space are addressed in [section A3.2](#), therefore, separate standards are not provided. Allowances for minister and deputy head accommodation, quasi-judicial office space as well as call/contact centre space are provided in sections [B](#), [C](#) and [D](#), respectively, of this standard. (**Note:** The *Government of Canada Workplace Fit-up Standards* also apply, in spirit and intent, to standard fit-up elements provided in special purpose space (SPS), although it is recognized that this space type will have special technical and fit-up requirements.)
- Alterations and/or improvements to the above-noted accommodation including:
 - Fit-up for initial occupancy;
 - Tenant service work requested and funded by the client. Tenant service work shall **NOT** result in a quality of office accommodation higher than that permitted by the *Workplace Fit-up Standards*; and
 - Fit-up of existing space for reuse by a different PSPC client. The scope of this fit-up shall take into account the functional requirements of the client, existing conditions of the previously occupied space, and the duration of the occupancy.

The *Government of Canada Workplace Fit-up Standards* do not apply to:

- Real property under the administration of Crown Corporations and other custodial departments. However, where PSPC provides optional services to departments and agencies, PSPC shall promote and recommend the application of these standards; and
- Office accommodation provided for House of Commons, Senate, Library of Parliament and Minister's Regional Offices (MROs).

All custodial departments are encouraged to adopt and apply the *Government of Canada Workplace Fit-up Standards* to support a government-wide approach.

Unless otherwise specified, all figures are in **usable** metres squared.

Requests for clarification, advice or guidance may be sent to the [Fit-up mailbox](#).

Accommodation Management Framework

PSPC's approach to fit-up is guided by the *Accommodation Management Framework* (2013). The primary messages of the framework are that client departments and agencies share responsibility with PSPC for applying standards for the quantity and quality of office accommodation, and that PSPC is funded to provide office accommodation to client departments only to the level of the *Government of Canada Workplace Fit-up Standards*. The framework states that the allocated space should be the minimum necessary to support the functional requirements of the occupant.

Fit-up Principles

The Standards respond to government programs and priorities, and are compliant with all relevant codes, life safety and accessibility standards. The following principles support social, economic and environmental sustainability, and are to be applied to the greatest extent possible.

- PSPC's Real Property Services continues to be mandated to provide affordable and sustainable office accommodation and related services for federal government departments and agencies. These services include the fit-up of office space to meet client department program requirements within the limits of this Standard.
- Fit-up, which represents a significant portion of PSPC's real property business, includes the preparation of accommodation for initial occupancy, and the alteration of existing space for reuse by a different client department or agency.
- The *Government of Canada Workplace Fit-up Standards* specify a midrange quality for fit-up elements and finishes considered to be part of a typical fit-up for general-purpose office space. This is often referred to as the standard "bundle of goods" delivered by PSPC on all fit-up projects regardless of location or client.
- The standard is quality, not cost based. In other words, the same "bundle of goods" is delivered on fit-up projects across the country, regardless of any regional cost variances. The fit-up elements and finishes incorporate the fundamental aspects of a modern, flexible, environmentally sustainable and supportive work environment.
- Controls continue to be incorporated into the process for delivering fit-up projects to help constrain costs and avoid delays to the project schedule. This includes the "two revision rule" limiting the number of revisions a client can request per design stage. (For more information on project controls, refer to [section A6.4](#).)

Standardization of fit-up projects and elements is intended to:

- achieve cost-effective and timely delivery of accommodation and accommodation services;
- clearly define accountabilities;
- improve understanding of PSPC's real property program;
- ensure equity and consistency in federal accommodation thereby facilitating relocations;
- incorporate the fundamental aspects of environmental sustainability and supportive work environments; and
- demonstrate value to Canadian citizens through improved management of federal accommodation.

Sustainability

- The fit-up of Government of Canada office space is guided by the principles of energy efficiency, minimal environmental impact, occupant health and comfort and functional performance.
- The Government of Canada encourages the use of sustainability design tools and programs such as Leadership in Energy and Environmental Design (LEED), BOMA BEST, Green Globes or other comparable green building management assessment tools.
- For interior fit-ups in existing buildings; materials selection and space designing to allow for maximum penetration of natural light in accordance with LEED Commercial Interiors certification criteria.

Universal Design for Accessibility

The *Government of Canada Workplace Fit-up Standards* provide the flexibility to create innovative workplace fit-up solutions using a common sense approach in a manner that represents best value to the Crown. Subsequently, considerations fit-up elements and material choices should extend beyond the CAN/CSA B651 accessibility standard where feasible and appropriate to ensure the establishment of a workplace that proactively ensures that workplace features are accessible to all users. This includes both those with permanent and temporary disabilities or impairments. The following are examples of elements of universal design for accessibility that can be incorporated into the typical workplace fit-up:

- Way-finding systems that are simple and intuitive, that rely on non-text cues to provide direction such as the use of flooring or walls in contrasting colours.
- Enhanced workplace signage (non-building) that can be read by those with low or no vision and located so as to maximize visibility from various angles.
- Controls and hardware such as door handles and light switches that are designed to be used by individuals with varying levels of dexterity.
- Barrier free design for all spaces in the work environment, i.e., beyond legislated requirements for accessible entranceways, corridors, washrooms and workstations.

Security

- Security requirements must be fully integrated into the planning and design of government accommodation.
- Security requirements identified by a Threat and Risk Assessment can usually be met using a combination of one or more design features including zoning of restricted access areas, entry barriers, security systems and equipment.
- Client departments are responsible for informing PSPC of their security requirements for tenant fit-up. The necessary security specifications must be included in all plans, funding requirements, requests for proposals and tender documentation for fit-up projects. Client departments should refer to the *Treasury Board Policy on Government Security*, and the *Treasury Board Operational Security Standard on Physical Security* when planning security requirements.

The exact size, configuration and placement of spaces will vary to suit each building's particular characteristics.

For all projects, consideration must be given to the potential impact of densification to the building and building services. All applicable codes, regulations and standards must be adhered to.

Base Building Requirements

The starting point for any fit-up project is determined by the base building conditions. Whether the facility is Crown-owned or leased, base building conditions will always vary depending on the location, age, size, classification and other characteristics of the site. In leased space, the extent of the landlord's responsibility with respect to those conditions is as outlined in the PSPC Generic Lease Documentation Package and finalized through lease negotiations. No modifications may be made to the base building elements other than those itemized in the lease agreements or otherwise taken into account in making the original investment decision.

The *Technical Reference for Office Building Design* sets out the base building requirements for Crown owned buildings as well as forms the basis for facilities occupied by the federal government. The technical reference is the primary reference for all technical and life safety standards related to plumbing, HVAC, fire protection, electrical and telecommunication systems.

Note: All fit-up projects must be in accordance with the appropriate municipal and provincial codes and consideration must be given to the potential impact of densification on base building systems.

Information Technology (IT)

Shared Services Canada (SSC) has the mandate to provide services related to data centres, networks, email and end user information technology. SSC's clients include both mandatory and optional users. SSC, the Communications Security Establishment (CSE) and Public Safety Canada have a shared responsibility for cyber and IT security, with oversight provided by TBS.

SSC's mandate applies to providing efficient workplace solutions to meet the *Government of Canada's Workplace Fit-up Standards*, primarily in the networking and telecommunications services category. Specifically, the provision of these services may include: wired LAN, cabling and Wi-Fi services; cellular amplification services; telephony systems; and audio, web, and videoconferencing services.

Under this mandate, SSC is responsible for the design, development, delivery and ownership of network and end-user IT infrastructure and standards that align technology architecture across the Government of Canada. SSC's role and responsibilities with respect to office fit-up ensures that a common enterprise service management model is applied, ultimately providing consistent and integrated IT support services to end-users.

Special Fire Protection Standards for Client-funded Requirements/SPS

In addition to provincial or territorial code requirements, there are some standards and policies that must be followed when developing office space for Government of Canada occupants. The most common ones are listed below. You may find the specific requirements of each at the accompanying Web site locations.

1. TB Fire Protection Standard
2. Fire Commissioner of Canada—FC 311 (M)—Standard for Record Storage
3. Operations Program Directives No. 922-1-IPG-044—Door Release Hardware—Electromagnetic Locks
4. Mobile Shelving—Fire Protection Design Requirements

It is imperative that these standards and policies are considered early in the concept design stage, and as part of the review and approvals process throughout the development of the project.

A2. Approvals and Governance

A2.1 Compliance

As the obligatory service provider of general-purpose office space for federal departments and agencies, PSPC has the authority to establish The *Government of Canada Workplace Fit-up Standards* which applies to all federal office space under their administration. The Standards were completed after broad consultation with federal departments and agencies, and are fully supported by Treasury Board Secretariat and PSPC at all management levels. A compliance monitoring process is outlined in this section to ensure common sense is exercised in the application of the quality and quantity of elements and space allocation that is established as a baseline in these Standards. It is the responsibility of PSPC, contracted service providers, and client departments and agencies to work within these Standards.

Defining Compliance

The *Government of Canada Workplace Fit-up Standards*, in conjunction with the *GCworkplace Design Guide* and the PSPC Directive on Fit-up, form the basis for the determination of compliance or non-compliance of client office accommodation requests. Those requests that would result in a fit-up of either higher or lower quantity and/or quality than what is described are subject to the compliance exemption process described in [section A2.2](#).

There are several complementary tools that assist in determining compliance to the *Government of Canada Workplace Fit-up Standards* which are located on the [GCworkplace Project Resources GCpedia page](#):

- **[The Directive on Fit-up](#)**: This directive provides clarity on roles and responsibilities for all stakeholders, including clients, with respect to workplace fit-ups following the 2019 Treasury Board approval to expand PSPC's cost accountabilities for fit-up in non-reimbursing occupancies.
- **[The GCworkplace Design Guide](#)**: This document outlines the design principles and best practices pertaining to workplace modernization for the Government of Canada. It is intended to provide an overview of the GCworkplace concept and its context within the greater vision for **public service renewal**, as well as provide design professionals and project teams the tools and parameters within which to optimize workplace design.
- **[GCworkplace Space Planning Workbook](#)**: The Workbook is the tool that determines the ideal workpoint distribution in the project. This tool offers minimum and maximum quantity ranges for each workpoint. If a project's workpoint quantities do not respect the prescribed ranges, the request must be subjected to the process described in [section A2.2](#).
- **[The GCworkplace Technical Reference Manual](#)**: Technical specifications of each workpoint and interiors are found in the GCworkplace Technical Reference Manual. If there is a request for a finish or construction element that does not meet the limits of the technical specifications, it would be considered non-standard and the request would be reviewed by the project team for possible application of the compliance exemption process.
- **[GCworkplace Standard Furniture Typical](#)**s: Furniture, Furnishings and Equipment (F, F & E) provisions must follow the standard bundle of goods, which is defined in the GCworkplace Standard Furniture Typical

- **Space Allocation Standards:** These standards are issued in support of the *Accommodation Management Framework* (December 2013) which establishes the policy direction for the provision of office accommodation and accommodation services by PSPC for federal government organizations. The Standards also acknowledge the authority of managers under the Treasury Board Operating Budget regime to determine the appropriate mix of resources required for program delivery. The Space Assessment and Planning Application can calculate space demand for the physical workplace allowing a range of scenarios.

Other Standards or Guidance Documents

While PSPC recognizes that clients may develop their own internal accommodation departmental standards or guidelines to identify their specific space and fit-up requirements to PSPC during the project planning stages, such guidelines have **no bearing** on the provisions of the *Government of Canada Workplace Fit-up Standards*. Clients are expected to identify specific elements of their office accommodation requests that are either Special Purpose Space (SPS) or in need of a compliance exemption, which is determined by following the process described under [section A2.2](#). These should be based on their operational requirements only.

Note: All compliance exemption requests approved prior to the version of the *Government of Canada Workplace Fit-up Standards* introduced on April 1, 2019 along with the launch of the GCworkplace, must be reassessed, on a project-by-project basis, to determine their ongoing validity and relevance. To obtain copies of previous decisions/approvals, please contact the [Fit-up mailbox](mailto:TPSGC.Amenagement-FITUP.PWGSC@tpsgc-pwgsc.gc.ca) (TPSGC.Amenagement-FITUP.PWGSC@tpsgc-pwgsc.gc.ca).

Roles and Responsibilities

Accommodation Standards Committee

The Accommodation Standards Committee (ASC) was established within PSPC to help ensure a disciplined, objective, and consistent approach to decision-making, monitoring and reporting on the implementation of the *Government of Canada Workplace Fit-up Standards* and complementary tools.

The ASC evaluates **program-wide** exemption requests to the Standards from departments and agencies, and prepares a recommendation to the Assistant Deputy Minister (ADM), Real Property Services (RPS), or delegate. Accommodation Management and Workplace Solutions is the sub-delegated authority and manages the ASC. Program-wide exemption is for application on a department-wide basis.

Regional project teams evaluate, assess and authorize **both project-specific compliance exemption and SPS requests** while the ASC has an oversight role on all project-level decisions. Project specific exemption is for a singular project. Should a project-specific issue be precedent-setting, it will also be evaluated and assessed by the ASC.

Project Team

The project team must document all decisions and include the analysis of financial, environmental, heritage restrictions, security and other factors (including justification for audit purposes) before proceeding with implementation. (Refer to [section A2.2](#) for further information on compliance monitoring.)

Interior Design National Centre of Expertise

The Interior Design National Center of Expertise (IDNCOE) is responsible for establishing the design standards for the Government of Canada's workplaces. The IDNCOE creates tools and develops strategies to ensure a cohesive design that supports a new way of working. They provide functional direction, best practices and support on GCworkplace interior design components such as key design principles and workpoint distributions, and are responsible for the monitoring and oversight of interior design compliance for federal office space.

Client Account Executive and Client Service Directors

The Client Account Executive is the primary point of client contact at the national level and the Client Service Director is the regional equivalent. They are accountable for the client relationship and are informed in both the program-wide and project-specific compliance exemption process.

Service Leads

The Service Leads provide Subject Matter Expertise to the compliance exemption process as required.

Client organization

Client departments and agencies are required to identify the contact that has the authority to approve their business case requests for program-wide and project-specific compliance exemptions, the associated funding, and to accept accountability for the decisions and any project delays, if applicable.

Note: The client department authority for Real Property and/or the Chief Financial Officer CFO need to approve any business case as there may be additional funding required.

Assistant Deputy Minister (ADM), RPS:

The ADM RPS has the approval authority for program-wide compliance exemption requests though it can be delegated. The ADM has approval authority for project-specific compliance exemption requests should no agreement be reached at the working level. Should a compliance exemption request be approved, the client will be responsible for all associated costs and project impacts.

Common Sense and Best Value for Canadians

The *Government of Canada Workplace Fit-up Standards* and complementary tools are the baseline for the identification of compliance; however, there can never be a substitute for sound judgment and common sense. The project team must wisely use the Standards and all the complementary tools, listed in the "Defining Compliance" section, to question the justification for each client exemption request on a case-by-case basis.

A number of factors must always be considered when a compliance exemption is discussed. Minor adjustments to the approach or to the workplace provisions of the Standards that can benefit the client without having an adverse impact on the planning principles, project quality, or cost, should be considered. Additional factors to be considered are health and safety, greening, accessibility, departmental transformation, attracting talent, enhancing diversity, right-sizing footprints, increasing unassigned seating, modernization and efficiency.

There may be a situation where additional (or fewer) workpoints beyond the allowable limits are required due to functional requirements. An example could be the need for an additional Focus Room for a specific reoccurring function requiring speech and visual privacy. With proper justification, this request may be deemed acceptable.

Similarly, exemptions may be required due to limitations in the ability to fit-up heritage buildings. Such site restrictions cannot be superseded by the Standards.

Identification of compliance exemption requests during project delivery

The delivery of fit-up projects follows the PSPC Project Navigator. Each phase of the process and each deliverable represents an opportunity to validate any decision that would result in additional space outside of the *Space Allocation Standards* and/or a fit-up of either higher or lower quantity or quality, that otherwise would create non-standard office accommodation. The project team determines the project-specific compliance or compliance exemption with the *Space Allocation Standards* and the *Government of Canada Workplace Fit-up Standards*, completes the required analysis with the client stakeholder, documents the decision, and reports to the ASC (identified in the detailed process in [section A2.2](#)).

The completion of the [Client Accommodations Requirements Questionnaire \(CARQ\)](#) at the Project Identification Stage, and the subsequent development of the Functional Program, where required, and a business case will put to the forefront any potential exemptions to compliance with the Standards which would cause a space increase. Compliance continues to be monitored at each subsequent phase of the project. Where compliance exemption is required, the Compliance Monitoring Form must be completed. The form serves to record the nature of the exemption request, the costs, the recommendation(s) of the project team, and the decision of the ADM, RPS (or sub-delegated authority), on approval. (Refer to [section A2.2](#) for the approval process and [section A2.6](#) for a copy of the Compliance Monitoring Form.)

The client department is responsible for submitting the justification or business case for each compliance exemption request, providing the funding, and accepting accountability for any delays in the project incurred by the approval process. (Refer to [section A2.3](#) for details on the submission requirements for requests for compliance exemption approval.) The client can work with their PSPC counterparts to complete the business case for information related to costing.

Note: Any compliance exemption request resulting in expansion space to the space envelope would be client funded and in accordance with the Funding Framework for PSPC's real property portfolio and related services and the Standard Terms and Conditions. The client would also be responsible for all additional costs associated including rent and fit-up for the additional space.

As described in the previous sub-section, in some cases, the project team may determine that minor adjustments to the Standards provide the optimum solution, represent common sense and best value to the Crown, and would not require approval of the ADM, RPS (or sub-delegated authority). Such decisions and their justification must be documented on the Compliance Monitoring Form ([section A2.6](#)), copied to the ASC Secretariat and the form must be completed and attached to every project file.

Tenant Service Projects

Tenant service projects are those led or initiated by the client as opposed to PSPC. They must be similarly monitored for compliance with the *Space Allocation Standards*, the *Government of Canada Workplace Fit-up Standards*, The Directive on Fit-up, and the Space Assessment and Planning Application. The Compliance Monitoring Form must be completed for every project, copied to the ASC Secretariat and approved in accordance with the project-specific approval process outlined in [section A2.2](#). In the case that tenant service projects are not typically lead by a PSPC project leader, the responsibility to complete the compliance monitoring would fall to the PSPC project manager, project facilities manager or contracted service provider that is leading the project.

Note: Reimbursing departments are subject to the same compliance monitoring process as non-reimbursing departments. As well, contracted services are monitored through performance-based contracts and their work is subject to audit to ensure compliance with the *Government of Canada Workplace Fit-up Standards*.

Compliance Monitoring

For monitoring purposes, the ASC Secretariat reviews **project-specific** project team decisions and determines topics for review and discussion by the ASC to ensure national consistency. To achieve this, project teams must submit the completed Compliance Monitoring Form (see [section A2.6](#)) to the ASC following each project-specific approval.

A2.2 Process for Approval of Compliance Exemptions and Special Purpose Space

The **project-specific** process for approval of compliance exemptions is for a singular project, whereas a **program-wide** process for approval of compliance exemptions is for application on a department-wide basis.

While the following chart describes the steps required for the escalation of a project-specific process for approval, it is important to note that escalations beyond the initial steps are generally rare and, in most cases, collaboration between PSPC and clients typically leads to successful compliance management with no escalation necessary.

Note: Special Purpose Space is additional, non-standard areas required by a client department to accommodate specific activities that are unique and essential to departmental programs. Examples of special purpose spaces include, but are not limited to: laboratories, health units, trade shops or departmental libraries. Special Purpose Space, by its nature, is not general office space and therefore not compliant to these Standards, however, the approval process for project-specific or program-wide exemption must be followed for **new** special purpose space requests to ensure the project team has agreed with the client's special purpose space requirements and that the process is documented.

Project-specific: Compliance Exemptions and Special Purpose Space Requests

The table below describes the **project-specific** decision-making and approval process for any space or components that would result in a fit-up of either higher or lower quantity or quality, that otherwise would create non-standard office accommodation as a result of fit-up or tenant service projects. The subsequent flowchart provides a simplified visual of the process. The project team determines the project-specific compliance or compliance exemption with


the *Space Allocation Standards* and the *Government of Canada Workplace Fit-up Standards*, copies the ASC, and documents the decision on the project file. The ASC's role and responsibility in this process is one of oversight, to ensure national consistency.

Timelines for preparation and submission of compliance exemption requests are initially submitted to the project team and will **vary** depending on the complexity of the request and project requirements. The department or agency is the lead in preparing and submitting documentation and is responsible for project delays.

For the **project-specific** compliance exemption requests and the **Special Purpose Space** approval process, a decision would typically be reached in Level 1, however the following table describes the escalation process when all stakeholders are unable to reach a decision or alternate solution.

As per Section 4.3 of the Project Charter in Project Navigator, the Project Leader is required to make every effort possible to resolve any issues with the client prior to entering the Compliance Exemption Process. Should there be an impasse the Compliance Exemption process will then begin.

Project-specific Compliance Exemption Process Chart



Legend

- ASC – Accommodations Standards Committee
- AMWS – Accommodation Management and Workplace Solutions
- CE Form – Compliance Exemption Form
- DG/RDG – Director General/Regional Director General
- GCWFUS – Government of Canada Workplace Fit-up Standards
- IDNCOE – Interior Design National Centre of Expertise
- PSPC – Public Services and Procurement Canada
- RPS – Real Property Services
- SAS – Space Allocation Standards

Please note – As per Section 4.3 of the Project Charter, all issues should be resolved by the PSPC Project Leader and the Client where possible. Escalate to Level 2 only if necessary.

*Section A2 of the Government of Canada Fit-up Standards provides more detail on the process for compliance exemption.

Level 1

Step 1: Client Project Team

- .1 The Client Project Team's representative submits space or fit-up requirement(s) that differ from the *Government of Canada Workplace Fit-up Standards* (GCWFUS) and its complementary tools to the PSPC project team leader (or project manager, project facilities manager, or contracted service provider leading the project where the project leader is not part of the project team).

Step 2: PSPC Project Team

- .1 The PSPC project team reviews the requirement(s) that differ from the *GCWFUS* and its complementary tools and determines whether or not to support the submission based on the evaluation criteria in [section A2.4](#). During the evaluation, the project team is to consult the Interior Design National Centre of Expertise (IDNCOE) for expert guidance and recommendation of whether the requirement is justifiable or not, and to recommend alternate solutions. The project team is to continue to consult the IDNCOE throughout this process where warranted.
- .2 The PSPC project team advises the client representative on:
 - Whether or not the solution for the requirement is supported; and
 - The impact on project delivery including associated schedule and financial risks if an agreed approach and/or solution is determined.

Step 3: Client Project Team

- .1 If the client representative and the PSPC project team both agree that the request is acceptable with no associated funding impact, the Compliance Monitoring Form is to be completed and sent to the ASC. The process ends here.
- .2 If the client representative decides not to pursue the request, the project continues with compliant requirements. No further action is required.
- .3 If the PSPC project team does not support the request and the client representative disagrees, and decides to pursue the compliance exemption, an evaluation and approval process begins, and the request escalates to Level 2.

Level 2

Step 4: PSPC Project Leader/Director

- .1 Based on all recommendations given so far, the project leader (or equivalent) completes the Compliance Monitoring Form, listing and costing each non-compliant item and providing the client with a copy of the form. The project leader then requests that the client representative complete their portion, detailed in [section A2.6](#).

Step 5: Client Project Team

- .1 The client representative completes and signs the Compliance Monitoring Form including the justification for the request, and acknowledges accountability for funding of additional costs and for associated project delays. (**Note:** This must be signed off at a level of financial authority within the client department and sent to the Project Leader.)

Step 6: PSPC Project Leader/Director

- .1 The project leader evaluates the rationale with the project team, consults with the applicable service lead or if design-related, the IDNCOE, and makes a decision, informing the client. The project leader and the project designer (or member of the IDNCOE) note the decision and sign the Compliance Monitoring Form. The decision is also documented on the project file and a copy of the decision complete with the Compliance Monitoring Form and justification is sent to the Accommodation Standards Committee (ASC), Accommodation Management and Workplace Solutions (AMWS), which will in turn monitor decisions and share with all PSPC regions to ensure national consistency.
- .2 If the client representative disagrees with the project team's decision or proposed alternate solution, the request escalates to Level 3.

Level 3**Step 7: PSPC**

- .1 A team consisting of the Director of the PSPC sector delivering the project, the PSPC Client Account Executive and Client Service Director, where applicable, are presented with the assessment and recommendation from the project leader and the applicable service lead or if design-related, the IDNCOE.
- .2 The Director-level team reviews the client rationale/justification, and the assessment and recommendation to reach a decision that is shared with the project team. It is recorded and documented on the project file and the Compliance Monitoring Form. The form is then signed by the Director responsible for the delivery of the project. A copy of the decision with the Compliance Monitoring Form and justification is sent to the ASC Secretariat, AMWS for oversight.

Step 8: Client Project Team

- .1 If the client project team disagrees with the decision, the request escalates to Level 4.

Level 4**Step 9: PSPC**

- .1 The Director responsible for the delivery of the project must provide the Compliance Monitoring Form to the appropriate Director General (DG) Service Lead, and/or Regional Director General (RDG), where applicable, including the client's justification/rationale, as well as a summary of all PSPC assessments and recommendations made on the project. The Director responsible for delivery of the project will provide a briefing and provide support to the DG in reaching a decision.
- .2 Once a decision is reached, the Director completes the Compliance Monitoring Form to provide to the DG for signature. The decision is then provided to both the PSPC and client project teams. The PSPC project team will document the decision on the project file and send a copy of the decision and the updated form to the ASC Secretariat, AMWS, who will in turn share the decision with all PSPC regions to ensure national consistency.

Step 10: Client Project Team

- .1 If the client project team disagrees with the decision, the request escalates to Level 5.

Level 5**Step 11: Client**

- .1 The client's Assistant Deputy Minister (ADM), writes to the ADM, Real Property Services (RPS) and includes the client's rationale and supporting justification. This is then tasked to the Director General (DG), AMWS, for action and a recommendation.

Step 12: PSPC

- .1 The DG, AMWS, asks the ASC to review the client justification and consult with the appropriate stakeholders based on the content of the letter. Once a recommendation is reached, the ASC provides the DG, AMWS with a recommendation and draft decision letter for review. Once approved it is sent to the ADM, RPS for final approval.

Step 13: PSPC

- .1 The ADM, RPS either agrees or asks the DG AMWS (ASC Secretariat) to amend the decision letter. Once finalized, the ADM, RPS then sends the decision letter to the client colleague ADM (or equivalent), advising of the decision and the rationale on which it is based. A copy of the response is recorded with the project team and the ASC.

Level 5 (continued)

Step 14: Client


- .1 The client department or agency accepts decision, and the project proceeds.
- .2 The client department does not accept the decision and the request is escalated to the Deputy Minister level for both organizations. Should an agreement not be reached and the client pursues the exemption, the client will be fully accountable for the unsupported compliance exemption to the Standards and will accept responsibility for all costs that arise as a result. Action is documented by the ASC. It will be noted on file that PSPC has challenged the compliance exemption fully but the client DM has decided to take full responsibility and accountability for the final decision.

Program-wide (Department-wide application): Compliance Exemption and Special Purpose Space Requests

The following table describes the process to be followed for managing requests for exemptions to the *Government of Canada Workplace Fit-up Standards* and complementary tools for approval of **program-wide** requirements and special purpose space that is intended for **application on a department-wide basis**. The ASC determines compliance with the *Space Allocation Standards* and the *Government of Canada Workplace Fit-up Standards* and complementary tools, identifies areas requiring compliance exemption and provides a recommendation to the ADM, RPS (or sub-delegated authority) for approval. The ASC's role and responsibility in this process is to ensure national consistency with the use of standards and tools across departments and agencies as well as to consider proposed revisions and improvements for future versions of the Standards.

Timelines for preparation and submission of requests are initially discussed with the PSPC Client Account Executive, and the ASC Secretariat. Draft submissions to the ASC Secretariat will vary depending on the complexity of the request and project requirements. The department or agency is the lead in preparing and submitting documentation and accepts accountabilities for project delays.

Program-wide Compliance Exemption Process Chart



Legend

- ADM – Assistant Deputy Minister
- AE – Account Executive
- ASC – Accommodations Standards Committee
- CSD – Client Service Director
- DG – Director General
- GCWFUS – Government of Canada Workplace Fit-up Standards
- PSPC – Public Services and Procurement Canada
- RPS – Real Property Services
- SAS – Space Allocation Standards
- FYI – Business Case template located in [Section A2.7](#) of the GCWFUS
- *Section A2 of the GWFUS provides more details on the process for program-wide compliance exemption.

Level 1: Development of Draft Stage

Step 1: Client Project Team

- .1 The client department or agency (client) informs the PSPC Client Account Executive and/or Client Service Director, where applicable, in writing of their intent to seek approvals on program-wide requirements that could include special purpose space (SPS) or general administrative accommodation standards, request for additional closed offices, increase in space allocation etc.

Step 2: PSPC

- .1 The Client Account Executive and/or Client Service Director advises the ASC Secretariat of the client department or agency's intent and arranges a meeting with the client, members of initial review team, a member of the IDNCOE when required, and the ASC Secretariat, to discuss process, options, and impacts on funding. If client decides to pursue a compliance exemption request, the approval process begins. Where applicable, the IDNCOE will also work with the client to propose and develop an alternate design solution.

Step 3: PSPC

- .1 The Client Account Executive and/or Client Service Director informs the Director General, AMWS, and the ASC Secretariat of the client's intent, and provides the Director General with the detailed request including options, and potential operational and financial impacts if available.

Level 2: Draft Review Stage

Step 4: PSPC

- .1 The client provides a draft Business Case (See [section A2.7](#)) to the Client Account Executive and/or Client Service Director which is forwarded to the Director General, AMWS and the ASC Secretariat.
- .2 The ASC members review the submission and may recommend consultation to specific areas of expertise.

Step 5: PSPC

- .1 The ASC Secretariat then forwards the consolidated comments or suggested revisions to the business case to the Client Account Executive and/or Client Service Director who then communicates these comments to the client.

Step 6: Client

- .1 The client revises their submission to reflect the ASC's comments. The client may also contact the ASC Secretariat to discuss the comments provided via the PSPC Client Account Executive and/or Client Service Director. Note that there may be considerable back and forth discussions between the client and ASC members to finalize the submission.

Level 3: Final Review and Approval Stage

Step 7: Client/PSPC

- .1 The client submits a revised request for approval of program-wide requirements and/or Special Purpose Space with a department-wide application to their Client Account Executive and/or Client Service Director.
- .2 The Client Account Executive and/or Client Service Director forwards the request to the Director General, AMWS and to the ASC Secretariat.

Step 8: PSPC

- .1 The ASC Secretariat sends a copy of the submission to ASC members who review the submission and make a final recommendation.
- .2 The ASC Secretariat prepares a draft letter of response with recommendation for the Director General, AMWS.

Level 3: Final Review and Approval Stage (continued)**Step 9: PSPC**

- .1 The Director General, AMWS, agrees or amends the letter and sends it to the client. The letter is copied to the ASC Secretariat, Client Account Executive and/or Client Service Director, and the Assistant Deputy Minister (ADM), RPS.
- .2 The ASC Secretariat communicates the decision to stakeholders and posts all documents and the decision letter to GCdocs.

Step 10: Client and PSPC

- .1 The client accepts the decision and communicates it internally as appropriate.
- .2 If the client disagrees, they will advise their ADM (or equivalent).

Level 4: Escalated Approval Stage**Step 11: Client and PSPC**

- .1 The client's ADM or equivalent writes to the ADM, RPS with the request which will be provided to the Director General, AMWS, and the ASC Secretariat who will contact the Client Account Executive and/or Client Service Director for further consultation.
- .2 Depending on the nature of the incoming request from the client, an ASC Committee meeting may be called to discuss how best to resolve the issue. These types of escalations would be addressed on a case-by-case basis and would involve some or all of the following stakeholders depending on the issue: Client Account Executive and/or Client Service Director, ASC Committee, DG AMWS, DG Service Lead impacted by issue, where applicable, and others as deemed necessary.
- .3 Upon approval by the DG, AMWS, the ASC Secretariat provides the ADM, RPS with a suggested response to the client ADM. The response includes the decision and the rationale on which it is based.
- .4 The ADM, RPS reviews and asks for revisions to the decision letter if necessary, and then sends it to the client department. A copy of the letter is provided to stakeholders and posted on GCdocs.

Step 12: Client

- .1 The client accepts decision.
- .2 The client does not accept the decision and the request is either sent back to the ADM or escalated to the PSPC Deputy Minister level. Prior to escalating to the DM level, the ADM should again review and adjust as necessary.
- .3 Should an agreement not be reached, the Interdepartmental DM Real Property Committee will reach a decision. Should the client still want to pursue the unsupported compliance exemption, the client will be fully accountable for the compliance exemption to the Standards and accept responsibility for all costs that arise as a result.

A2.3 Submission of Compliance Exemptions Requests

PSPC

Project-specific

As soon as a **project-specific** compliance exemption has been approved, PSPC Project Leaders are to send an [e-mail to the ASC Secretariat](#) informing the committee of a department's or agency's compliance exemption request, the project team's decision and whether or not it has been accepted by the client stakeholder. Emails are to include the following information:

1. Description of non-compliance request;
2. Summary of relevant facts and issues;
3. Impact of request on accommodation savings and space reduction targets;
4. Position of the project team;
5. Copy of the completed Compliance Monitoring Form; and
6. Completed [Special Purpose Space \(SPS\) Assessment Tool](#) when applicable.

Client Department or Agency

Project-Specific Requests

Departments and agencies must submit their requests for any space or elements that would result in a fit-up of either higher or lower quantity or quality, that otherwise would create non-standard office accommodation, for approval by the project team. The project team determines the project-specific compliance exemption (see [section A2.1](#)), documents the decision on the project file, and informs the ASC.

Dependent on the size and complexity of the request for additional space and/or fit-up components' non-conformity, the client stakeholder's rationale must be accompanied by a business case, client department senior management level approval, confirmation of funding, and acceptance of accountability for any project delays incurred in the approval process. The related funding accountability will include all direct and indirect costs related to the implementation of the compliance exemption, including management and design services, project delays, and ongoing operational and maintenance costs.

Program-Wide Requirements and Special Purpose Space with Department-Wide Application Requests

Departments and agencies must submit their requests for **program-wide** requirements that are in addition to the *Space Allocation Standards* and vary in quantity and quality from the fit-up components detailed in the *Government of Canada Workplace Fit-up Standards* as well as special purpose space with a department-wide application, to the ADM, RPS (or sub-delegated authority), for approval.

These requests must be accompanied by a justification, client department senior management level approval, confirmation of funding, and acceptance of accountability for any project delays incurred in the approval process. The funding will cover all direct and indirect costs related to the implementation of the compliance exemption

fit-up element or service, including management and design services, project delays, and ongoing operational and maintenance costs.

Program-wide submissions are to be prepared in consultation with PSPC, and must include all information described in [section A2.7: Business Case Template for Program-Wide Requests](#).

A2.4 Criteria for Evaluating Compliance Exemption Requests

The Accommodation Standards Committee uses the following criteria to evaluate compliance exemption requests to the *Government of Canada Workplace Fit-up Standards*. This criteria should also be used to evaluate the project level requests and must be weighed against an analysis of financial, environmental, security and other factors.

1. Is the request a program or project-specific requirement?
2. What are the impact(s) on the department or agency's operations?
3. Do the changes remain within the *Space Allocation Standards*?
4. Is the request due to a health and safety issue?
5. Does it meet accessibility standards?
6. Have alternate solutions been appropriately considered with the assistance of the IDNCOE where implicated?
7. Has the reduction of Greenhouse Gases (GHGs) and reaching our federal targets been taken into consideration?
8. Is the request in the best economic interest of the Crown and Canadians?
9. Does the request demonstrate sound judgment and common sense?
10. Does the exemption follow the intent of the *Government of Canada Workplace Fit-up Standards* (i.e. a component was altered, however, every attempt has been made to follow the Standards)?
11. Analysis of financial, environmental, security, employee external mobility, and other factors. (See examples below.)

Financial	Environmental	Security	Other
Short and long-term investment	Sustainability	Health and safety	Operational Requirements
Budget	Greening	Laws, Policies, etc.	Governance (Acts, Policies, Standards)
Other financial risks	Wellness (work environment, employees)	Applicable Building and Fire Codes	Schedule, Resources

If the recommended option in a justification is based on security, the justification submitted by the client department or agency must include:

- Reference to text from Threat and Risk Assessment (TRA), Security Design Brief or Security Site Brief that specifically supports the request. If these documents are not available, they must be developed before the business case is submitted;
- In the case of project-specific requests, if there is sufficient reason for not developing any of the above-noted documents, a letter from the Departmental Security Officer must be provided and include, where appropriate:
 - a statement of the security requirement necessitating the non-compliant fit-up;
 - an explanation as to why separate secure zoning is not an acceptable alternative;
 - the security classification of the information being handled i.e., Confidential, Secret, Top Secret, Protected A, B, or C; and
 - legal liabilities.

Information on Government of Canada security requirements including approaches to physical security and the selection and design of facilities can be found in the [Directive on Security Management - Canada.ca](#).

A2.5 Compliance Trends and Reporting

The Accommodation Standards Committee (ASC) monitors **project-specific** decisions and approvals for **program-wide** requirements and **Special Purpose Space with a department-wide application** and considers the results and evident trends in developing future versions of the *Government of Canada Workplace Fit-up Standards*.

A2.6 Compliance Monitoring Form

The Compliance Monitoring Form can be downloaded in [English](#) and in [French](#).

To be completed at during Level 1, Step 3.

Date:

Project Summary	
Project Title:	
Building Name/Address:	
Client Department or Agency:	
Building Cost Centre:	Project Number:
Project Size (um ²):	Project Type/Qualifier:
Office Space Type:	Project Cost Estimate:
Date Space Required:	Source of Funding:
Term of Occupancy:	Project Status:

PSPC Project Team
Project Leader:
Accommodation Manager:
Project Manager/Officer:
Design Manager:
Property and Facilities Manager:

Client justification for the compliance exemption request
Client requests that would result in a fit-up of either higher or lower quantity and/or quality than what is defined in the Standards will be considered non-compliant:
Project team decision, description and rationale, including Designer's input, where applicable:

Compliance exemption request detailed assessment and date	IDNCOE review	Cost Estimate	Supported by Project Team (Yes/No)

Contacts	
PSPC Project Leader Name and Title:	Signature:
PSPC IDNCOE Name and Title:	Signature:
Client Name and Title:	Signature:
Client Financial Authority Name and Title:	Signature:
Compliance Monitoring Form must be submitted to the following address: TPSGC.Amenagement-FITUP.PWGSC@tpsgc-pwgsc.gc.ca	Date:

Level 3	
Director-level Team Rationale/Decision:	
Justification:	
If escalating further, please indicate specific reasons why the client request is not a reasonable option:	
Director-level Team representative signature:	Date:

Level 4	
Director General-level Team Rationale/Decision:	
Justification:	
If escalating further, please indicate specific reasons why the client request is not a reasonable option:	
Director-level Team representative signature:	Date:

A2.7 Business Case Template for Program-Wide Requests

Cover Page

[Name of department or agency]

Business case

For

[Program-wide compliance exemption request for fit-up or accommodation requirements]

[Title]

Submitted by:

[Name, title, section and branch]

Submitted to:

Assistant Deputy Minister (or sub-delegated authority),
Real Property Services,
Public Services and Procurement Canada

Date: [day/month/year]

Business Case

General Instructions: It is important that the business case be clear, concise and complete. Include only relevant information and avoid duplication. A maximum of three pages per item being requested, not including appendices, should be sufficient for most submissions.

Purpose

Provide a brief statement on the purpose of the business case (i.e., the compliance exemption item(s) or special purpose space with a department-wide application for which approval is being requested).

Background/Context

Provide background information as it relates to the request. Normally, this section requires two to three paragraphs only and may include, for example:

- a) Mandate of the department or agency and/or the specific group or program to which the request applies;
- b) Strategic considerations, e.g., broader government objectives; and
- c) a list of locations to which the request applies including address, quantity, size, total area (usable m²) and population per location/region/nationally.

Request(s) for Compliant Exemption to Fit-up

For each compliant exemption to fit-up item being requested, provide the following information.

Compliant exemption to fit-up item

Issue:

Describe the main issue(s) or problem(s) driving the request and any impact(s) on the department's or agency's operations.

Options Analysis:

Provide an analysis of all options considered for addressing the issue(s). (NB: The *Government of Canada Workplace Fit-up Standards* specified requirement must be considered as one of the options.) For each option, include the following:

- a) Brief description of the option;
- b) Gap analysis;
 - i) Gap between the option and:
 - ➔ The *Government of Canada Workplace Fit-up Standards* (elements);
 - ➔ The *GCworkplace Design Guide* (elements); and
 - ➔ The *Space Allocation Standards* (usable m²)

- ii) Impact of the gap on costs in terms of:
 - ➡ Fit-up;
 - ➡ Rent; and
 - ➡ On-going operation and maintenance.

Short-term and, where appropriate, long-term impacts must be considered. Details are to be provided in the appendix, as required.

Note: Include template, as appropriate.

- c) Benefits and risks in relation to, for example:
 - i) Operational requirements and/or program delivery;
 - ii) Government objectives and priorities;
 - iii) Security;
 - iv) Health and safety;
 - v) Sustainability, environmental;
 - vi) Accessibility
 - vii) Governance (policies, laws and Acts)
 - viii) Project delivery, connectivity, and schedule; and
 - ix) Other.

Recommendation and Justification:

Provide a clear statement of the solution being recommended for approval and the basis for the justification.

- a) When the recommendation is based on legislation, Treasury Board policies or approvals, reports or studies, the justification must include specific reference to the relevant text within the document. The document, or excerpts from it, must be included as an appendix, where appropriate.

Funding

Include the following statement(s) to confirm the department's or agency's accountability for associated costs:

- a) For compliance exemption fit-up requests: “[Client department or agency] is responsible for the cost of all items associated with this compliance exemption request that exceed the approved space envelope, and *Government of Canada Workplace Fit-up Standards*, including the bundle of goods for standard fit-up, rent, fit-up and related on-going operation and maintenance.”
- b) For special purpose space requests: “[Client department or agency] is responsible for the cost of all items associated with this special purpose space request that exceed the approved space envelope, including rent, fit-up and related ongoing operation and maintenance.” In non-reimbursing occupancies, clients must identify a source of funds to cover the difference between the cost of PSPC's provision of providing general-purpose office space (maximum fit-up rate) and the client's special requirements. Clients in reimbursing occupancies are responsible for all costs related to the fit-up of their SPS.”

Appendices

- a) Compliance Monitoring Form;
- b) Other documents as appropriate, for example:
 - i) Detailed gap analysis;
 - ii) Legislation, TB policies; TB minutes; reports, studies;
 - iii) Floor plans;
 - iv) Threat and Risk Assessment, Security Design Brief, Security Site Brief, or letter from the Departmental Security Officer;
 - v) Organization charts;
 - vi) Functional program; and/or
 - vii) Draft program-wide standards (for program-wide requests only).

A3. Funding Accountabilities of PSPC and Client Departments

A3.1 Funding Accountabilities by Occupancy Instrument Type

Funding accountabilities for fit-up projects are shared between PSPC and client departments and agencies in accordance with the Treasury Board approved funding framework for PSPC's real property portfolio and related services.

The following tables are to be used as a reference guide and identify PSPC and client department funding accountabilities, based on the occupancy instrument type, whether for non-reimbursing or reimbursing space, including expansion control framework (ECF) space. As well, the table identifies the funding mechanisms and its application depending on whether a project is implemented in a Crown-owned or leased facility.

Non-reimbursing Occupancy Instruments (OIs)

Inventory Impact	Project Description	Fit-up Elements (see Fit-up Standards A3.2)	Funding Department	Funding Mechanism*
During Term of OI	Tenant Services: Alterations to Existing Accommodation	Base Building	Client	SSA ¹
		Standard Fit-up		
		Other ⁶		
	Cyclical Maintenance: Repair or Replacement ⁷	Base Building	PSPC	BMP ^{2,3}
		Standard Fit-up	PSPC/Client ⁷	BMP/SSA
		Other ⁶	Client	SSA
	Space Optimization	Base Building	PSPC ⁵	BMP ³
		Standard Fit-up		
		Other ⁶	Client	SSA
Same Location at OI and/or Lease Renewal	Tenant Services: Alterations to Existing Accommodation	Base Building	Client	SSA ¹
		Standard Fit-up		
		Other ⁶		
	Cyclical Maintenance: Repair or Replacement ⁷	Base Building	PSPC	BMP ^{2,3}
		Standard Fit-up	PSPC/Client ⁷	BMP/SSA
		Other ⁶	Client	SSA
	Refit New occupant	Base Building	PSPC	BMP ³
		Standard Fit-up		
		Other ⁶	Client	SSA
	Space Optimization Same occupant	Base Building	PSPC ⁵	BMP ³
		Standard Fit-up		
		Other ⁶	Client	SSA

Non-reimbursing Occupancy Instruments (OIs) (continued)

Inventory Impact	Project Description	Fit-up Elements (see Fit-up Standards A3.2)	Funding Department	Funding Mechanism*
New Location at OI and/or Lease Renewal (expansion or replacement)	Fit-up for Initial Occupancy or Refit for a New Occupant in Existing Inventory	Base Building	PSPC	BMP ³
		Standard Fit-up		
		Other ⁶	Client	SSA
Major Renovations by PSPC	Fit-up of Swing Space for Initial Occupancy or for Reuse	Base Building	PSPC	BMP ³
		Standard Fit-up		
		Other ⁶	PSPC	SSA
	Fit-up of Long Term Space for Reuse (i.e., move back to original location)	Base Building	PSPC	BMP ³
		Standard Fit-up		
		Other ⁶	Client	SSA
Forced Move by PSPC	Fit-up for Initial Occupancy or Refit for a New Occupant in Existing Inventory	Base Building	PSPC	BMP ^{3,4}
		Standard Fit-up		
		Other ⁶		

1. Tenant service projects may be identified at any stage of occupancy, and must support departmental programs, PSPC and government policy objectives, PSPC Portfolio Management Strategy and comply with the *Space Allocation Standards* and the *Government of Canada Workplace Fit-up Standards*, including the funding accountabilities outlined within this section. All tenant service requests affecting base building elements (e.g., mechanical and electrical systems, plumbing, etc.) must be approved by the building owner or representative.
2. PSPC assumes the costs of dismantling/storage/re-assembly/relocation of PSPC-funded telecommunication equipment, computer monitors at workpoints and standard furniture, as required to implement cyclical maintenance (e.g., for carpet replacement). Client departments fund dismantling, moving and reassembly of computers and specialized equipment/furnishings as required.
3. For leased facilities, base building elements are funded by the landlord as negotiated in the lease contract.
4. PSPC will replace like-for-like conditional on compliance with the *Government of Canada Workplace Fit-up Standards*.
5. Subject to PSPC funding availability.
6. The term 'other' typically refers to the following client costs: Special Purpose Space (SPS) costs beyond the PSPC bundle of goods for general purpose office space, additional security and IT requirements, additional furniture and equipment.
7. Clients remain responsible for the maintenance and replacement costs of fit-up elements that PSPC is now paying upon initial fit-up/re-fit following the 2019 TB Decision to allow PSPC to fund a broader portion of the bundle of goods for standard fit-up. These elements are identified with an asterisk (*) within the tables in [section A3.2](#).

*Alternate funding mechanisms may be used for projects such as a Purchase Order (PO), Local Purchase Order (LPO), Work Authorization (WA) or equivalent.

Reimbursing and Expansion Control Framework (ECF) Occupancy Instruments (OIs)

Inventory Impact	Project Description	Fit-up Elements (see Fit-up Standards A3.2)	Funding Department	Funding Mechanism*
During Term of OI	Tenant Services: Alterations to Existing Accommodation	Base Building	Client	SSA ¹
		Standard Fit-up		
		Other ⁵		
	Cyclical Maintenance: Repair or Replacement	Base Building	PSPC	BMP ^{2,3}
		Standard Fit-up	Client	SSA
		Other ⁵		
	Space Optimization	Base Building	Client	SSA
		Standard Fit-up		
		Other ⁵		
Same Location at OI and/or Lease Renewal	Tenant Services: Alterations to Existing Accommodation	Base Building	Client	SSA ¹
		Standard Fit-up		
		Other ⁵		
	Cyclical Maintenance: Repair or Replacement	Base Building	PSPC	BMP ^{2,3}
		Standard Fit-up	Client	SSA
		Other ⁵		
	Refit New occupant	Base Building	PSPC	BMP ³
		Standard Fit-up	Client	SSA
		Other ⁵		
	Space Optimization Same occupant	Base Building	Client	SSA
		Standard Fit-up		
		Other ⁵		
New Location at OI and/or Lease Renewal (expansion or replacement)	Fit-up for Initial Occupancy or Refit for a New Occupant in Existing Inventory	Base Building	PSPC	BMP ³
		Standard Fit-up	Client	SSA
		Other ⁵		
Major Renovations by PSPC	Fit-up of Swing Space for Initial Occupancy or for Reuse	Base Building	PSPC	BMP ³
		Standard Fit-up		
		Other ⁵		
	Fit-up of Long Term Space for Reuse (i.e., move back to original location)	Base Building	PSPC	BMP ³
		Standard Fit-up	Client	SSA
		Other ⁵		
Forced Move by PSPC	Fit-up for Initial Occupancy or Refit for a New Occupant in Existing Inventory	Base Building	PSPC	BMP ^{3,4}
		Standard Fit-up		
		Other ⁵		

1. Tenant service projects may be identified at any stage of occupancy, and must support departmental programs, PSPC and government policy objectives, PSPC Portfolio Management Strategy and comply with the *Space Allocation Standards* and the *Government of Canada Workplace Fit-up Standards*, including the funding accountabilities outlined within this section. All tenant service requests affecting base building elements (e.g., mechanical and electrical systems, plumbing, etc.) must be approved by the building owner or representative.
2. PSPC assumes the costs of dismantling/storage/re-assembly/relocation of screens and standard furniture, as required to implement cyclical maintenance (e.g., for carpet replacement). Client department pays for dismantling, moving and reassembling of computers telecommunications, other specialized equipment and furnishings as required.
3. For leased facilities, base building elements are funded by the landlord as negotiated in the lease contract.
4. PSPC will replace like-for-like conditional on compliance with *Government of Canada Workplace Fit-up Standards*.
5. The term ‘other’ typically refers to the following client costs: Special Purpose Space (SPS) costs beyond the PSPC bundle of goods for general purpose office space, services provided by Shared Services Canada, additional security and IT requirements, additional furniture and equipment.

*Alternate funding mechanisms may be used for projects such as a Purchase Order (PO), Local Purchase Order (LPO), Work Authorization (WA) or equivalent.

A3.2 Fit-up Elements and Funding Accountabilities

The following chart identifies elements that may be part of a fit-up project. Funding accountabilities for the elements are as follows:

- **PSPC Funded elements** are funded by PSPC in both non-reimbursing and Expansion Control Framework occupancies;
- **PSPC Funded in Non-reimbursing Occupancy elements** are funded by PSPC only for a department or agency’s non-reimbursing occupancy;
- **PSPC Funded in Non-reimbursing Occupancy elements** for reimbursing clients and Expansion Control Framework are funded by the client department or agency;
- **Client Funded elements**, including security requirements, are funded by the client department or agency, including all related commissioning, testing and ongoing maintenance.

Alterations to existing accommodation carried out during the term of an occupancy (e.g., tenant services), are funded by the client department.

Integrated and mobile furnishings for workpoints will be provided as specified in [section A5](#) and as per the GCworkplace Standard Furniture Typical for each workpoint type. The furnishings provided for each type of workpoint may vary according to the intended use of the workpoint and therefore not all furnishings indicated will be available in all workpoint types.

Clients remain responsible for the maintenance and replacement costs of fit-up elements that PSPC is now paying upon initial fitup/re-fit following the 2019 TB Decision to allow PSPC to fund a broader portion of the bundle of goods for standard fit-up. These elements are identified with an asterisk (*) in the tables below.

Note: PSPC may fund an optimization project during an OI or upon OI renewal within the same space if supported by an investment strategy and subject to funding availability. Standard finishes (e.g., carpet, screen fabric, painted surfaces) may be replaced, repaired or refreshed at PSPC cost if required as a result of normal wear and tear.

A. Building Site Work

Elements	PSPC Funded	PSPC Funded in Non-reimbursing Occupancy	Client Funded
(a) Site preparation, site improvements, utility tunnels, site utilities (including communication media access).	Yes		
(b) Primary identification signage (building), flagpole, and base. Additional site work and site improvements increased utility requirements, etc.	Yes		Yes ¹

1. Client cost—subject to the non-compliance approval process (see [section A2](#)).

B. Substructure

Elements	PSPC Funded	PSPC Funded in Non-reimbursing Occupancy	Client Funded
1. Foundations and basements including slab on grade Alteration to suit client requirements (e.g., addition of window wells).	Yes		Yes ¹

1. Client cost—subject to the non-compliance approval process (see [section A2](#)).

C. Shell

Elements	PSPC Funded	PSPC Funded in Non-reimbursing Occupancy	Client Funded
1. Suspended floor slabs and roof structure Alteration to suit client requirements (e.g., to increase loading capacity, add stairs).	Yes		Yes ¹
2. Exterior closure, including walls, windows, doors and roofing Alteration to suit client requirements.	Yes		Yes ¹

1. Client cost—subject to the non-compliance approval process (see [section A2](#)).

D. Interior Construction

Elements	PSPC Funded	PSPC Funded in Non-reimbursing Occupancy	Client Funded
1. Walls (STC ratings refer to wall construction) (a) Building core, shear and shaft walls (stairwells, utility spaces).	Yes		
(b) Demising walls, multiple-tenant floors and crossover floors—constructed to meet current Building Code requirements.	Yes		
Additional demising wall treatments to meet client security requirements (e.g., wire mesh, security grills in ductwork) and related ongoing maintenance.			Yes ²
(c) Partition walls—in addition to traditional metal or wood frame construction, reusable partition systems (e.g., movable, demountable) are acceptable within the <i>Government of Canada Workplace Fit-up Standards</i> and, as such, can be used to provide enclosed spaces and support space. These systems need to be reusable and flexible (e.g., capacity to modify one element with minimal disruption to the rest of the wall system). (See part F for furniture screens/panels)		Yes	
(i) Enclosed workspaces <ul style="list-style-type: none"> • Slab to underside of ceiling with insulation and plenum barriers (enhanced speech privacy, approximates STC 45). 		Yes	
<ul style="list-style-type: none"> • Enclosed spaces requiring secure speech privacy, as determined by a Threat and Risk Assessment (TRA)—slab-to-slab construction with insulation, (approximates STC 52). 			Yes ²
(ii) Support spaces <ul style="list-style-type: none"> • Storage rooms, shared equipment areas, kitchenettes and similar functions—slab to underside of ceiling with insulation (standard speech privacy approximates STC 35). 		Yes	
<ul style="list-style-type: none"> • Meeting, training, focus rooms and similar functions—slab to underside of ceiling with insulation and plenum barriers (enhanced speech privacy, approximates STC 45). 		Yes	
<ul style="list-style-type: none"> • Telecommunications rooms—slab to underside of ceiling with insulation and plenum barriers. 	Yes		
<ul style="list-style-type: none"> • Manually operated retractable or folding partition walls to create two medium meeting rooms from one large meeting room. 		Yes	
<ul style="list-style-type: none"> • Other retractable or folding partition walls (Note: The project team technical experts should ensure due diligence with regards to product selection and advise the client accordingly of the pros and cons to consider.) 			Yes ²

D. Interior Construction (continued)

Elements	PSPC Funded	PSPC Funded in Non-reimbursing Occupancy	Client Funded
(iii) Glazing treatments <ul style="list-style-type: none"> Treated sidelights and clerestory glazing (single pane) with film. 		Yes	
<ul style="list-style-type: none"> Glazing for up to 25% of demountable partitions, which may comprise up to 75% of partitions in a given fit-up, as per the GCworkplace Design. (<i>Note:</i> Glazing treatments are not recommended when speech privacy is a priority.) 		Yes	
Additional partition walls to create separate secure zones or additional partition wall treatments (e.g., wire mesh, security grills in ductwork) to meet client security requirements, and related ongoing maintenance. (<i>Note:</i> This does not include the creation of additional individual closed offices or support spaces.)			Yes ²
Other additional partition walls or special construction and related maintenance, e.g., slab-to-slab construction for meeting rooms equipped with video conference systems.			Yes ¹
2. Doors and frames			
(a) Demising wall doors (e.g., suite entry/egress door)—partially glazed with film to facilitate orientation and safe movement.	Yes		
(b) Partition wall doors including partial or full glazing and film.		Yes	
(i) Flush solid core wood doors—standard height and width 2.07 m or 2.13 m × 0.91 m (6'-8" or 7'0" × 3'-0") wood veneer or paint finish. (Transfer grills are provided on telecommunication room doors if required.)			
(ii) Wood or steel frames—natural (stain) or paint finish. (<i>Note:</i> Where security is a factor, pressed steel frames are recommended, e.g., telecommunication rooms.)		Yes	
(iii) “Vision ports” or glazing inserts in doors.		Yes	
(iv) Fire-rated doors and frames as required by code.		Yes	
(v) Sliding doors—may be acceptable where there is no additional cost. Sliding doors must meet National Building Code requirements to ensure safe egress from enclosed spaces without restricting access to exits.		Yes	
(vi) Dutch doors—to address special requirements for service counters, cashier’s offices, etc. The height of the separation between the upper and lower doors must be between 730 mm—860 mm (2'-4"–2'-8") to meet accessibility requirements.			Yes ²

D. Interior Construction (continued)

Elements	PSPC Funded	PSPC Funded in Non-reimbursing Occupancy	Client Funded
Additional door and frame types or treatments to meet client security requirements.			Yes ²
Other door and frame sizes or types or additional treatments to suit client requirements.			Yes ¹
3. Door hardware			
(a) Mortise (keyed) lock set (with two sets of reproducible keys) and lever trim (handle) on suite entry doors.		Yes	
(b) Cylinder latch or keyed lock set (with two sets of reproducible keys) and lever trim (handle) on all other room doors.		Yes	
(c) Dummy levers on closet doors.		Yes	
(d) Door closers as required by building code.		Yes	
(e) Additional hardware, as required, for durability in high traffic areas, e.g., push/pull and kick plates.		Yes	
(f) Accessibility hardware on base building doors to meet CAN/CSA B651.	Yes		
Additional accessibility (Duty to Accommodate) or security hardware and related ongoing maintenance.			Yes ²
Additional door hardware and related ongoing maintenance.			Yes ¹
4. Interior specialties			
(a) Washrooms (i) Core washroom fixtures, compartments, counters and dispensing accessories to meet the <i>Technical Reference for Office Building Design</i> .	Yes		
(b) Cabinetry and millwork (i) Counters and/or storage cabinets in kitchenettes and shared equipment areas—custom grade construction or modular units (at comparable cost). Finishes to suit application and respect criteria outlined in section A5.1 .		Yes	
(ii) Service counters and carrels in public contact spaces only (construction and finishing as above).			Yes ²
(iii) Kiosks for public contact spaces.			Yes ²
(iv) Primary reception counter.			Yes ²
(v) Coat closet—rods and shelves as allocated.		Yes	
(vi) Storage shelving, etc., (including high-density mobile systems).			Yes ²
Additional interior specialties and related ongoing maintenance (e.g., additional millwork, modifications to base building washrooms).			Yes ¹

D. Interior Construction (continued)

Elements	PSPC Funded	PSPC Funded in Non-reimbursing Occupancy	Client Funded
5. Interior finishes (see section A5)			
(a) Building core areas			
(i) Wall, floor, ceiling and base treatments to core areas, main entrance, lobbies and other base building support areas.	Yes		
(b) Office and support areas			
(i) Ceiling finishes			
• Base building standard (typically acoustic tile).	Yes		
• Bulkheads as required to suit mechanical design or other site constraints.	Yes		
(ii) Floor finishes			
• Typically carpet (rolled goods or carpet tile), resilient sheet or tile, ceramic tile or “unfinished” (sealed concrete) to suit function of space.	Yes		
• Modifications to base building floor finishes to enhance way finding and durability in major circulation paths (carpet inserts) maximum 10% of floor area unless using carpet tile.		Yes	
• Antistatic floor treatments in LAN rooms.			Yes ²
• Raised floor systems and ramps, epoxy or other special treatments to suit client requirements.			Yes ²
(iii) Wall/base finishes			
• Exterior perimeter walls and columns (to meet the <i>Technical Reference for Office Building Design</i>).	Yes		
• Partitions (paint or unfinished to suit performance requirements and substrate, limited use of wall coverings as required in high traffic areas only).		Yes	
• Wall base treatment to suit flooring.	Yes		
• Wall treatments including tackable/acoustical treatments and writable surfaces. See section A5: Finishes for details.		Yes	
Additional finishes and related ongoing maintenance.			Yes ¹

1. Client cost—subject to the non-compliance approval process (see [section A2](#)).
2. Client cost—**NOT** subject to the non-compliance approval process. Security requirements must be based on a Threat and Risk Assessment (TRA), Security Design Brief or Security Site Brief, signed off by the Departmental Security Office (DSO) and properly documented on the project file.

E. Services

Elements	PSPC Funded	PSPC Funded in Non-reimbursing Occupancy	Client Funded
1. Conveying systems (a) Vertical transportation, finished elevators and escalators (if existing in building).	Yes		
(b) Keyed access, additional doors, and private elevators.			Yes ¹
Additional systems or modifications and related ongoing maintenance.			Yes ¹
2. Plumbing systems (a) Basic building and core area services, including regular and accessible plumbing fixtures, drinking fountains, domestic water, sanitary waste and rainwater systems (does not include hard plumbed water coolers).	Yes		
(b) Stainless steel sink(s) in kitchenettes complete with hot and cold water, insulation, drain and vent piping.		Yes	
(c) Washrooms (in addition to base building washrooms) for the exclusive use of the client, including all related fixtures and services.			Yes ¹
(d) Washrooms/showers required as part of TBS approved departmental program requirement only—fixtures to match base building quality.			Yes ²
(e) Common shower facilities (TB Workplace Fitness Policy applies).			Yes ²
(f) Relocate/add drinking fountains to suit planning requirements.		Yes	
Additional systems and related ongoing maintenance.			Yes ¹
3. Heating, ventilation and air-conditioning systems (a) Basic building and core area systems, including fuel supply, heat generation, rejection, distribution and transfer systems, controls, testing and balancing.	Yes		
(b) Main trunk ductwork, branch ductwork, base building terminal units, controls and base building distribution.	Yes		
(c) Relocate and/or add, ductwork, terminal units (VAV boxes, fan coil units, etc.), diffusers, controls, including systems testing and balancing (testing and balancing to meet requirements of the Technical Reference for Office Building Design).		Yes	
(d) Meeting/training rooms, public service area, kitchenette and shared equipment area ventilation—add/relocate terminal units (VAV boxes, fan coil units) recirculating fans or A/C units including associated controls.		Yes	

E. Services (continued)

Elements	PSPC Funded	PSPC Funded in Non-reimbursing Occupancy	Client Funded
(e) Separate continuous 24/7 cooling in telecommunications rooms, common equipment rooms and/or distributor rooms as part of the building infrastructure to meet environmental conditions specified in TIA-569-B (for new major retrofit or new construction or new major lease buildings).	Yes		
(f) Separate continuous 24/7 cooling in dedicated telecommunications rooms and dedicated equipment rooms that house tenant equipment to meet environmental conditions specified in TIA-569-B (for new major retrofit or new construction or new major lease buildings).			Yes ¹
(g) Controls and monitoring—relocate and/or add thermostats, valves, sensors, terminal unit controller (VAV boxes, fan coil units control) control points, etc.		Yes	
Additional systems and related ongoing maintenance (e.g., additional or separate air conditioning for server or UPS rooms).			Yes ¹
4. Fire protection systems			
(a) Sprinkler, standpipe and hose systems (all areas), fire extinguishers.	Yes		
(b) Relocate/add sprinkler heads and hose systems to suit layout.		Yes	
(c) Heat detectors, smoke detectors as required by code.		Yes	
(d) Additional fire extinguishers as required by code.		Yes	
Additional fire protection systems and related ongoing maintenance.			Yes ¹
5. Electrical systems			
(a) Power			
(i) Service, distribution and emergency (life safety) Building power (including main and floor level electrical rooms).	Yes		
(ii) Relocate/add power circuits (typically one-circuit/two workstations) receptacles, conduits and raceways to suit function and layout.		Yes	
(iii) Dedicated circuits and other specific requirements in support spaces.		Yes	
(iv) UPS, “clean” power and other dedicated circuits for client operational requirements.			Yes ²
(v) Generator for client’s operational requirements and downstream distribution.			Yes ²
(vi) Enhanced accessibility measures (e.g., visual alarm systems, etc.)—Duty to Accommodate.			Yes ²

E. Services (continued)

Elements	PSPC Funded	PSPC Funded in Non-reimbursing Occupancy	Client Funded
(b) Lighting (i) Lighting and power distribution to core and open office areas.	Yes		
(ii) Modifications to base building fixtures (luminaires).			Yes ¹
(iii) Relocate/add base building lighting to suit function and layout.		Yes	
(iv) Lighting modifications to suit meeting room functions.		Yes	
(v) Task lighting for up to 25% of workpoints as per the GCworkplace Design.		Yes*	
(vi) Additional lighting and power for special client needs.			Yes ¹
(c) Controls and monitoring (i) Controls and instrumentation (e.g., computerized switching, energy monitoring and control systems).	Yes		
(ii) Modify controls and/or instrumentation to suit layout or monitoring requirements (e.g., separate switching of closed offices, meeting rooms etc. or monitoring the energy consumption of a particular function or group). The use of motion sensor lighting controls is required.		Yes	
(iii) Critical level and advanced controls for special client requirements (e.g., specialized control systems for computer room).			Yes ²
(d) Fire alarm systems (i) Fire alarm with smoke detectors, bells, pull stations, voice communication and annunciators.	Yes		
(ii) Relocate/add fire alarm points to suit office layout.		Yes	
(e) Sound masking systems (i) Sound masking system to suit office layout.		Yes	
Additional electrical systems, infrastructures and related ongoing maintenance.			Yes ¹
6. Telecommunications Systems			
(a) Spaces and pathways (i) Shared Entrance Room, Main or Common Equipment Room, Equipment Room and Main or Common Telecommunications' Rooms.	Yes		
(ii) In leased buildings also housing non-GC occupants, Telecommunications' Rooms as part of the building infrastructure as required.	Yes		

E. Services (continued)

Elements	PSPC Funded	PSPC Funded in Non-reimbursing Occupancy	Client Funded
(iii) Dedicated Equipment Room or dedicated Telecommunications Room.			Yes ¹
(iv) Generic backbone (also called “vertical” or “riser”), pathways (such as conduit, cable tray and sleeves) connecting Telecom Room(s) on each floor to the Equipment Room and connecting the Equipment Room to the Entrance Room and/or Common Equipment Room.	Yes		
(v) Dedicated backbone pathways requested by the client.			Yes ¹
(vi) Generic horizontal raceways (such as cable tray or conduit) from Telecom Room(s) on each floor. “J-hooks” may be used when the Crown has only a short-term interest in the space.	Yes		
(vii) Service poles for workstations and conduit in partitions for image, voice and data outlets. (<i>Note:</i> Separate poles may be required for voice and data.)		Yes	
(viii) Additional telecommunications infrastructure.			Yes ¹
(ix) Infrastructure for secret telecommunications.			Yes ²
(b) Cabling			
(i) Generic backbone cabling (vertical and to connect multiple telecommunications rooms on the same floor). <ul style="list-style-type: none"> • LAN drops provided for 20% of workpoints, individual and collaborative combined. 	Yes		
(ii) Telephony—Horizontal cabling and jacks for voice, data, image.		Yes*	
(iii) Horizontal cabling and jacks for secret infrastructure.			Yes ²
(iv) Horizontal cabling and jacks for video conferencing.		Yes*	
(v) Horizontal cabling and jacks for security equipment (such as Card Readers).			Yes ²
(vi) Wi-Fi cabling infrastructure equipment, design, procurement and installation.		Yes	
(c) Telecommunication equipment			
(i) Telecommunication equipment such as rooftop dishes, satellite or microwave and antennas.			Yes ²
(ii) Procurement and installation of Wi-Fi transmission devices and accessories (e.g., access points, routers, amplifiers, signal boosters, etc.)		Yes*	
(iii) Maintenance and ongoing costs of the Wi-Fi infrastructure.			Yes ²

E. Services (continued)

Elements	PSPC Funded	PSPC Funded in Non-reimbursing Occupancy	Client Funded
(iv) Procurement and installation of a cellphone amplification system as required.		Yes*	
(v) Maintenance of cellphone amplification systems and ongoing costs of associated devices.			Yes ²
(vi) Additional telecommunications systems, infra-structures, elements and associated maintenance.			Yes ¹
(vii) Secret infrastructure equipment, design, procurement and installation.			Yes ²
(viii) Video conferencing equipment, design, procurement and installation for all collaborative enclosed workpoints, workpoints with 40" or larger monitors and medium and large meeting rooms.		Yes*	
(ix) Maintenance and ongoing costs associated with videoconferencing equipment, infrastructure and services.			Yes ²
(x) Intra-building LAN equipment.		Yes*	
(xi) WAN connectivity equipment (including Accelerators and Shapers).		Yes*	
7. Security (a) Base building security (lockable exterior entrances, perimeter and vehicle controls if applicable, and main level entry control).	Yes		
Additional security systems including infrastructure and related ongoing maintenance.			Yes ²

1. Client cost—subject to the non-compliance approval process (see [section A2](#)).
2. Client cost—**NOT** subject to the non-compliance approval process. Security requirements must be based on a Threat and Risk Assessment (TRA), Security Design Brief or Security Site Brief, signed off by the Departmental Security Office (DSO) and properly documented on the project file.

F. Furnishings and Equipment

Elements	PSPC Funded	PSPC Funded in Non-reimbursing Occupancy	Client Funded
1. Furnishings and Equipment			
(a) Window coverings			
(i) Coverings for exterior windows (to base building specification).	Yes		
(ii) Security film to exterior windows.			Yes ²
(iii) Additional treatments to exterior windows.			Yes ¹
(iv) Treatments to interior glazing (e.g., blinds and drapes) other than film and as noted in part D.1 (c) (iii) .			Yes ¹
(b) Furniture and equipment			
(i) Panels or screens including demountable complete with service poles and/or base feed furniture systems (mid-range quality element system, non-acoustic class with power or data capability) as per design standard outlined in the GCworkplace Technical Reference Manual.		Yes	
(ii) Integrated and mobile furnishings for workpoints as per GCworkplace Standard Furniture Typical for each workpoint type including horizontal elements (work surfaces, tables, storage pedestals), shared and personal storage solutions, monitor arms and monitors, chairs, panel or screen accessories, acoustic panels. See section A5: Finishes for additional details.		Yes*	
(iii) Telephone equipment (including cellular devices and their associated ongoing costs), computers, photocopiers, fax machines, etc.			Yes ²
(iv) Wireless presentation technology including large monitors in medium and large meeting rooms and workpoints with monitors larger than 40" white board wall treatments, wireless screen-sharing equipment, etc. (including installation). See section A5: Finishes .		Yes*	
(v) Kitchen equipment and furnishings including refrigerators, microwave ovens and recycling centres.		Yes*	
(c) Signage and accessories			
(i) Common use signs including the main (lobby area) directory, fire exiting routes, etc.	Yes		
(ii) Operational signage including directional and location signs, informational signs, etc.		Yes*	
(iii) Plants, planters and related ongoing maintenance.			Yes ²
(iv) Artwork.			Yes ²

1. Client cost—subject to the non-compliance approval process (see [section A2](#)).
2. Client cost—**NOT** subject to the non-compliance approval process. Security requirements must be based on a Threat and Risk Assessment (TRA), Security Design Brief or Security Site Brief, signed off by the Departmental Security Office (DSO) and properly documented on the project file.

A4. Planning and Design

Office Space

Space is allocated in accordance with the *Space Allocation Standards* and is based on the number of full-time equivalent (FTE) employees in the client's workplace. The design of the workplace is based on the direction set out in the *GCworkplace Design Guide*.

The *GCworkplace Design Guide* has been developed as the companion document to the *Government of Canada Workplace Fit-up Standards* and is mandatory for all planning and design of general-purpose office space.

A5. Finishes

A5.1 Finishes

The GCworkplace Technical Reference Manual provides specifications for application of finishes and millwork in open office areas and at each workpoint. All finishes (for other items than Base Building) are provided in accordance with this document.

All standard furniture and furnishings, included in the bundle of goods, are outlined in the GCworkplace Standard Furniture Typicals document. This document provides standard typical configurations for all workpoints.

Equipment and monitor provisions are also outlined in the GCworkplace Technical Reference Manual within the GCworkplace Design Roadmap.

All of the above referenced documents may be accessed via the [GCworkplace Resources Page](#) on GCpedia.

A6. Costing

A6.1 Fit-up Rates

The fit-up rates are provided for:

- General-purpose (administrative) office space;
- Ministerial and Deputy Head accommodation space;
- Quasi-judicial office space; and
- Call/contact centre space.

The rates are provided as a dollar value per usable square metre (m²u) only and are based on a detailed analysis of costs for each of the fit-up elements in the bundle of goods. Rates are based on planning examples and current market conditions in major centres across the country and provide an average cost from which the specific context and conditions of the project will need to be added, in order to develop a final cost estimate for planning purposes (indicative).

The fit-up elements indicated in [section A3.2: Fit-up Elements and Funding Accountabilities](#), are provided at a mid-range level of quality and in quantities sufficient to support the GCworkplace Design. This practice ensures fairness in the delivery of fit-up projects to all clients and is consistent with how PSPC is funded to deliver them.

The fit-up rates are to be used to determine indicative cost estimates for fit-up of general-purpose (administrative), quasi-judicial, call/contact and Ministerial and Deputy Head space categories where more specific costing data is not available. Please note, however, that for general-purpose (administrative) offices space, PSPC will fund standard fit-up elements as detailed in [section A3.2: Fit-up Elements and Funding Accountabilities](#) within the *Government of Canada Workplace Fit-up Standards*. Additional fit-up elements for Ministerial and Deputy Head, Quasi-judicial and public contact spaces can be found in sections [B](#), [C](#) and [D](#) of this standard. Fit-up elements that exceed what is provided as part of the bundle of goods must be funded by the client department.

The rates for general-purpose (administrative) office space are segregated into three separate ranges according to common floor plate space sizes, and are provided for major urban centres (locations) across the country. Regions may adjust these costs for locations not identified in the tables, based on knowledge of local construction costs and market conditions. Additionally, quasi-judicial and call/contact centre space rates may be scaled using the provided location factors, but are not broken down into specific spaces sizes as they are considered an average of averages for application.

The rate for Ministerial and Deputy Head accommodation is provided for the National Capital Area (NCA) only and has been established as a maximum limit for determining PSPC's funding accountability for the fit-up of office suites for Ministers in departmental headquarters and for Deputy Heads.

The following items should be considered when using the fit-up rates to develop a contextual cost estimate for a project:

- For fit-ups taking place in future years, rates may be escalated based on Interest Rates and Amortization Factors: <http://intranet.tpsgc-pwgsc.gc.ca/finance/gest-man/taux-rates-eng.html>. For departments other than PSPC, please contact your Finance Division to obtain this information.
- Estimates **DO NOT INCLUDE** post contract contingencies or risk allowances, GST/HST, or pre-planning costs.

- Estimates **DO NOT INCLUDE** demolition costs of existing fit-up or handling and removal of unwanted assets (furnishing or equipment).
- The average rentable space rate (\$/m²r) can be estimated by dividing the usable space rate by a 1.13 conversion factor.
- Rates do not include client costs such as Special Purpose Space (SPS) costs beyond the PSPC bundle of goods, additional services provided by Shared Services Canada, additional security requirements, additional furniture and equipment (see [section A3.2](#)) and additional direct and indirect costs (see [section A6.3](#)).
- Any rates for specific elements that reflect an upper limit of funding allocation do not imply an entitlement and efforts should always be made to minimize costs and provide best value to the Crown.
- Elements used to forecast the fit-up rates can be found in the “PSPC Funded in Non-reimbursing Occupancy” column of [section A3.2: Fit-up Elements and Funding Accountabilities](#) as well as sections [B2.1](#), [C2.1](#) and [D2.1](#) of this standard.
- The fit-up rates only represent the basic construction costs and labour associated with a fit-up project.
- General Requirements is a summary heading that includes all the fees that are directly (direct costs) related to the delivery of the construction bundle of goods elements. These include, but are not limited to, administration, profit, service trade fees and the majority of normal costs associated with having trades delivering the construction bundle of goods elements (e.g. HVAC, plumbing, electrical, etc.). For more information, PSPC Real Property Services employees can contact their regional costing COE, other government department clients can communicate with the PSPC project representative.
- Demountable partition (compared to standard gypsum and steel wall stud) premiums range from 4% to 58% of the construction bundle of goods total depending on the configuration. PSPC’s new fit-up rates now include these premiums based on the provision of up to 75% of total partitions in a GCworkplace being demountable and up to 25% of which may be glazed as per the GCworkplace Design.
- Only the “Furnishings and Equipment” element should be considered a maximum costing value as a whole for the project. If the project has a cost for this element that is above the value identified within these tables, it **WILL** require justification as to what items specifically are driving the cost above this threshold and why. The limitation on this element is being “set” so that there is a reasonable maximum provided for clients to be able to define their furniture and equipment requirements and have PSPC be able to fit those requirements within the parameters of our budgetary and pre-determined funding requirements for the upcoming projects.
- Not all elements contained within the bundle of goods (BoG) are completely and explicitly defined in their technical reference or specifics. Many of the more minute or technological items may still require clarity and definition, but contingencies and allowance for the potential variations (with reason) are contained within the costing values in order to compensate.
- The refined and PSPC funded SSC rates for the IT bundle of goods elements are an average costing rate similar to all the other rates provided but with one significant difference; that being they are even more subject to variations than all the other elements due to factors of client requirements, location and changing technologies. Early and regular engagement with SSC for your project requirements is strongly suggested for project estimate development, but when it is not possible or occurring, contingencies and risk allowances should be used to compensate for the potential variations in planning rate values.
- PSPC-funded Indirect (soft) costs associated with the planning and delivery of Fit-Up Elements may range from 10% to 50% of the total construction costs (will depend on factors such as project delivery mechanism size, risk and complexity of project, number of consultants, etc.). An average value for these soft costs, based upon standard internal project delivery methodologies, is included within the new fit-up rates.

Application

It is **CRITICAL** that any and all users of this information understand and respect the limitations and conditions of the fit-up rates as they are provided. The values provided are **ONLY** applicable in the following context and should not be duplicated or extracted, in whole, or in part, without the full understanding of the following aspects in which it was produced. These rates are provided for project teams to apply as appropriate within the tools and applications for Fit-up project cost planning (regional and national).

Any and all values for individual elements, sections or categories of elements, or as a total for any of the specified locations are to be considered **AVERAGE INDICATIVE** costings as it applies to specific locations and floor plate sizing as presented. These rates meet the requirement as the base indicative estimate that project teams can use to develop their specific project scope and work towards their project approval (with the addition of specific conditions, scope and elements to reflect the project's particular requirements). **ANY** variation from what could be considered a "standard" fit-up as it relates to **ANY** of the elements shown, for **ANY** of the standard floor plate designs that have been provided by AMWS, will result in absolute variation from these values. These values are **ONLY** to be considered an indicator of where a specific project's costing begins from and as specific elements are refined, added, or removed, the costing of those elements and the total overall must change and vary with them, up to the final project approval value being sought for the project.

Given the potential for significant variation in items being selected and used for a GCworkplace fit-up project, there is a greater need to review and validate the costing of each of the elements individually as projects explore the various combinations available. The rates that are provided will also be used as part of any ongoing validation and assessment process to facilitate the continual improvements to the guide and tools for estimating fit-up costs.

Fit-Up Rate Tables for General Purpose Office by Location/City

NOTE: The Fit-Up rates provided below are to be considered an average indicative rate, in current dollars, for the elements and space sizing identified. The values should only be used to initiate cost estimates for project and adjusted to compensative for specific project context. **DO NOT** use these as comparative values unless the scope of the project can be related to the way these values were derived. Any variances between these values and your projects should be validated and justified within the project Business Case or similar.

Fit-up Elements	NCA (ON and QC) Location Index: 1.000			Halifax, NS Location Index: 1.024			Moncton, NB Location Index: 0.918		
	600 m ² (average of 3 levels)	1,200 m ² (average of 3 levels)	1,800 m ² (average of 3 levels)	600 m ² (average of 3 levels)	1,200 m ² (average of 3 levels)	1,800 m ² (average of 3 levels)	600 m ² (average of 3 levels)	1,200 m ² (average of 3 levels)	1,800 m ² (average of 3 levels)
Arch./Mech./Elec. and Other	\$/m² U	\$/m² U	\$/m² U	\$/m² U	\$/m² U	\$/m² U	\$/m² U	\$/m² U	\$/m² U
² Partitions	\$224	\$217	\$240	\$229	\$222	\$246	\$206	\$199	\$221
² Doors and Frames (including hardware)	\$21	\$13	\$5	\$21	\$13	\$5	\$19	\$12	\$4
² Finishes	\$25	\$19	\$18	\$26	\$19	\$18	\$23	\$17	\$16
Sub-total (same BoG)	\$270	\$248	\$263	\$277	\$254	\$269	\$248	\$228	\$241
Millwork and Specialties	\$102	\$106	\$77	\$104	\$109	\$78	\$93	\$98	\$70
Plumbing	\$20	\$12	\$9	\$20	\$13	\$10	\$18	\$11	\$9
HVAC	\$305	\$246	\$228	\$312	\$252	\$234	\$279	\$226	\$209
Fire Protection	\$43	\$40	\$38	\$44	\$41	\$39	\$40	\$36	\$35
² Electrical	\$240	\$205	\$200	\$246	\$209	\$205	\$220	\$188	\$184
General Requirements	\$161	\$142	\$136	\$165	\$146	\$139	\$148	\$131	\$125
Panels/Screen (including service conduits, power rect., voice/data outlets)	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹
Original BoG	\$1,141	\$1,000	\$951	\$1,168	\$1,023	\$974	\$1,047	\$917	\$873
Design Contingency (15%)	\$171	\$150	\$143	\$175	\$154	\$146	\$157	\$138	\$131
Demountable partitions premium (avg)	included ²	included ²	included ²	included ²	included ²	included ²	included ²	included ²	included ²
Premium for ABW (average - 10%)	included ³	included ³	included ³	included ³	included ³	included ³	included ³	included ³	included ³
³Subtotal of Arch./Mech./Elec. BoG	\$1,312	\$1,150	\$1,094	\$1,343	\$1,177	\$1,120	\$1,204	\$1,055	\$1,003
Modified index for furnishings and AV	n/a	n/a	n/a	1.012	1.012	1.012	1.125	1.125	1.125
Furnishing and Equipment									
Workstation vertical partitions	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹
¹ Integrated and mobile furnishings	\$448	\$437	\$406	\$453	\$442	\$411	\$504	\$492	\$457
Audio Visual—Workstation, collaborative and meeting room monitors and connection hardware, Visual aid and electronic white boards, teleconferencing hardware, etc.	\$98	\$89	\$88	\$99	\$90	\$89	\$110	\$100	\$99
Signage and accessories	\$35	\$35	\$35	\$35	\$35	\$35	\$39	\$39	\$39
Sub-total	\$581	\$561	\$529	\$588	\$567	\$536	\$654	\$631	\$595
Total PSPC managed and delivered BoG	\$1,893	\$1,710	\$1,623	\$1,931	\$1,744	\$1,655	\$1,857	\$1,686	\$1,599
IT System									
Horizontal cabling	\$32	\$32	\$32	\$33	\$33	\$33	\$30	\$29	\$29
Wi-Fi equipment	\$171	\$96	\$69	\$175	\$98	\$71	\$157	\$88	\$63
Telephony	\$12	\$12	\$12	\$13	\$13	\$13	\$11	\$11	\$11
Cellphone amplification system	not included	not included	not included	not included	not included	not included	not included	not included	not included
Video conferencing	\$168	\$223	\$203	\$172	\$228	\$208	\$154	\$205	\$186
Intra-building LAN equipment	\$83	\$53	\$51	\$85	\$55	\$53	\$76	\$49	\$47
WAN connectivity equipment	\$44	\$29	\$19	\$45	\$29	\$20	\$40	\$26	\$17
SSC Project Management (soft costs)	\$41	\$41	\$27	\$42	\$42	\$28	\$37	\$37	\$25
⁴Subtotal (less contingency and commissioning)	\$551	\$486	\$414	\$564	\$497	\$424	\$505	\$446	\$380
Total before soft costs	\$2,444	\$2,196	\$2,037	\$2,495	\$2,242	\$2,079	\$2,363	\$2,131	\$1,979
Prof. Design and Const. Mgmt. Fees									
Professional consulting fees for architectural, interior design, code review, mechanical, electrical and structural engineering services.	\$189	\$128	\$81	\$193	\$131	\$83	\$186	\$126	\$80
Lessor/Service Provider construction management fees	\$284	\$171	\$81	\$290	\$174	\$83	\$279	\$169	\$80
Sub-total	\$473	\$299	\$162	\$483	\$305	\$166	\$464	\$295	\$160
PSPC Labour									
Project leadership services	\$52	\$43	\$33	\$53	\$39	\$29	\$51	\$38	\$28
Supervisory services	\$71	\$62	\$52	\$72	\$57	\$46	\$70	\$55	\$44
AMWS services	\$9	\$9	\$9	\$10	\$9	\$8	\$9	\$8	\$8
Sub-total	\$132	\$114	\$95	\$135	\$105	\$83	\$130	\$101	\$80
*TOTAL	\$3,049	\$2,609	\$2,294	\$3,113	\$2,652	\$2,327	\$2,957	\$2,528	\$2,218

*does NOT include allowance for demolition, removal and handling of existing furnishings, or risk/contingency

Fit-Up Rate Tables for General Purpose Office by Location/City (continued)

Fit-up Elements	Charlottetown, PEI Location Index: 0.917			St. John's, NL Location Index: 1.049			Montreal, QC Location Index: 1.070		
	600 m ² (average of 3 levels)	1,200 m ² (average of 3 levels)	1,800 m ² (average of 3 levels)	600 m ² (average of 3 levels)	1,200 m ² (average of 3 levels)	1,800 m ² (average of 3 levels)	600 m ² (average of 3 levels)	1,200 m ² (average of 3 levels)	1,800 m ² (average of 3 levels)
Arch./Mech./Elec. and Other	\$/m ² U	\$/m ² U	\$/m ² U	\$/m ² U	\$/m ² U	\$/m ² U	\$/m ² U	\$/m ² U	\$/m ² U
² Partitions	\$205	\$199	\$220	\$235	\$228	\$252	\$240	\$232	\$257
² Doors and Frames (including hardware)	\$19	\$12	\$4	\$22	\$14	\$5	\$22	\$14	\$5
² Finishes	\$23	\$17	\$16	\$27	\$20	\$19	\$27	\$20	\$19
Sub-total (same BoG)	\$248	\$228	\$241	\$284	\$261	\$276	\$289	\$266	\$282
Millwork and Specialties	\$93	\$98	\$70	\$107	\$112	\$80	\$109	\$114	\$82
Plumbing	\$18	\$11	\$9	\$21	\$13	\$10	\$21	\$13	\$10
HVAC	\$279	\$225	\$209	\$320	\$258	\$239	\$326	\$263	\$244
Fire Protection	\$40	\$36	\$35	\$45	\$42	\$40	\$46	\$42	\$40
² Electrical	\$220	\$188	\$184	\$252	\$215	\$210	\$257	\$219	\$214
General Requirements	\$147	\$130	\$124	\$169	\$149	\$142	\$172	\$152	\$145
Panels/Screen (including service conduits, power rect., voice/data outlets)	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹
Original BoG	\$1,046	\$916	\$872	\$1,197	\$1,049	\$998	\$1,220	\$1,069	\$1,017
Design Contingency (15%)	\$157	\$137	\$131	\$180	\$157	\$150	\$183	\$160	\$153
Demountable partitions premium (avg)	included ²	included ²	included ²	included ²	included ²	included ²	included ²	included ²	included ²
Premium for ABW (average - 10%)	included ³	included ³	included ³	included ³	included ³	included ³	included ³	included ³	included ³
³Subtotal of Arch./Mech./Elec. BoG	\$1,202	\$1,054	\$1,002	\$1,376	\$1,206	\$1,147	\$1,403	\$1,230	\$1,170
Modified index for furnishings and AV	1.125	1.125	1.125	1.144	1.144	1.144	0.973	0.973	0.973
Furnishing and Equipment									
Workstation vertical partitions	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹
¹ Integrated and mobile furnishings	\$504	\$492	\$457	\$513	\$500	\$464	\$436	\$425	\$395
Audio Visual—Workstation, collaborative and meeting room monitors and connection hardware, Visual aid and electronic white boards, teleconferencing hardware, etc.	\$110	\$100	\$99	\$112	\$101	\$101	\$95	\$86	\$86
Signage and accessories	\$39	\$39	\$39	\$40	\$40	\$40	\$34	\$34	\$34
Sub-total	\$654	\$631	\$595	\$665	\$641	\$605	\$565	\$545	\$515
Total PSPC managed and delivered BoG	\$1,856	\$1,685	\$1,598	\$2,041	\$1,848	\$1,753	\$1,969	\$1,775	\$1,685
IT System									
Horizontal cabling	\$30	\$29	\$29	\$34	\$33	\$34	\$34	\$34	\$34
Wi-Fi equipment	\$157	\$88	\$63	\$179	\$101	\$72	\$183	\$103	\$74
Telephony	\$11	\$11	\$11	\$13	\$13	\$13	\$13	\$13	\$13
Cellphone amplification system	not included	not included	not included	not included	not included	not included	not included	not included	not included
Video conferencing	\$154	\$205	\$186	\$176	\$234	\$213	\$180	\$239	\$217
Intra-building LAN equipment	\$76	\$49	\$47	\$87	\$56	\$54	\$89	\$57	\$55
WAN connectivity equipment	\$40	\$26	\$17	\$46	\$30	\$20	\$47	\$31	\$20
SSC Project Management (soft costs)	\$37	\$37	\$25	\$43	\$43	\$29	\$44	\$44	\$29
⁴Subtotal (less contingency and commissioning)	\$505	\$445	\$379	\$578	\$510	\$434	\$589	\$520	\$443
Total before soft costs	\$2,361	\$2,130	\$1,977	\$2,619	\$2,357	\$2,187	\$2,558	\$2,295	\$2,127
Prof. Design and Const. Mgmt. Fees									
Professional consulting fees for architectural, interior design, code review, mechanical, electrical and structural engineering services.	\$186	\$126	\$80	\$204	\$139	\$88	\$197	\$133	\$84
Lessor/Service Provider construction management fees	\$278	\$168	\$80	\$306	\$185	\$88	\$295	\$178	\$84
Sub-total	\$464	\$295	\$160	\$510	\$323	\$175	\$492	\$311	\$168
PSPC Labour									
Project leadership services	\$51	\$38	\$28	\$56	\$42	\$31	\$54	\$40	\$29
Supervisory services	\$70	\$55	\$44	\$77	\$60	\$48	\$74	\$58	\$46
AMWS services	\$9	\$8	\$8	\$10	\$9	\$9	\$10	\$9	\$8
Sub-total	\$130	\$101	\$80	\$143	\$111	\$88	\$138	\$107	\$84
*TOTAL	\$2,955	\$2,526	\$2,217	\$3,272	\$2,792	\$2,450	\$3,188	\$2,712	\$2,380

*does NOT include allowances for demolition, removal and handling of existing furnishings, or risk/contingency

Fit-Up Rate Tables for General Purpose Office by Location/City (continued)

Fit-up Elements	Toronto (GTA), ON Location Index: 1.108			Toronto (centre), ON Location Index: 1.164			Winnipeg, MB Location Index: 0.975		
	600 m ² (average of 3 levels)	1,200 m ² (average of 3 levels)	1,800 m ² (average of 3 levels)	600 m ² (average of 3 levels)	1,200 m ² (average of 3 levels)	1,800 m ² (average of 3 levels)	600 m ² (average of 3 levels)	1,200 m ² (average of 3 levels)	1,800 m ² (average of 3 levels)
Arch./Mech./Elec. and Other	\$/m ² U	\$/m ² U	\$/m ² U	\$/m ² U	\$/m ² U	\$/m ² U	\$/m ² U	\$/m ² U	\$/m ² U
² Partitions	\$248	\$240	\$266	\$261	\$253	\$280	\$219	\$211	\$234
² Doors and Frames (including hardware)	\$23	\$14	\$5	\$24	\$15	\$6	\$20	\$13	\$5
² Finishes	\$28	\$21	\$20	\$29	\$22	\$21	\$25	\$18	\$17
Sub-total (same BoG)	\$300	\$275	\$292	\$315	\$289	\$306	\$264	\$242	\$257
Millwork and Specialties	\$113	\$118	\$85	\$119	\$124	\$89	\$99	\$104	\$75
Plumbing	\$22	\$14	\$10	\$23	\$14	\$11	\$19	\$12	\$9
HVAC	\$337	\$273	\$253	\$355	\$286	\$266	\$297	\$240	\$222
Fire Protection	\$48	\$44	\$42	\$50	\$46	\$44	\$42	\$39	\$37
² Electrical	\$266	\$227	\$222	\$280	\$238	\$233	\$234	\$199	\$195
General Requirements	\$178	\$158	\$150	\$187	\$166	\$158	\$157	\$139	\$132
Panels/Screen (including service conduits, power rect., voice/data outlets)	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹
Original BoG	\$1,264	\$1,108	\$1,054	\$1,328	\$1,164	\$1,107	\$1,112	\$974	\$927
Design Contingency (15%)	\$190	\$166	\$158	\$199	\$175	\$166	\$167	\$146	\$139
Demountable partitions premium (avg)	included ²	included ²	included ²	included ²	included ²	included ²	included ²	included ²	included ²
Premium for ABW (average - 10%)	included ³	included ³	included ³	included ³	included ³	included ³	included ³	included ³	included ³
³Subtotal of Arch./Mech./Elec. BoG	\$1,454	\$1,274	\$1,212	\$1,527	\$1,338	\$1,273	\$1,279	\$1,121	\$1,066
Modified index for furnishings and AV	0.974	0.974	0.974	0.982	0.982	0.982	1.005	1.005	1.005
Furnishing and Equipment									
Workstation vertical partitions	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹
¹ Integrated and mobile furnishings	\$436	\$426	\$395	\$440	\$429	\$399	\$450	\$439	\$408
Audio Visual—Workstation, collaborative and meeting room monitors and connection hardware, Visual aid and electronic white boards, teleconferencing hardware, etc.	\$96	\$86	\$86	\$96	\$87	\$87	\$99	\$89	\$89
Signage and accessories	\$34	\$34	\$34	\$34	\$34	\$34	\$35	\$35	\$35
Sub-total	\$566	\$546	\$515	\$571	\$551	\$520	\$584	\$563	\$532
Total PSPC managed and delivered BoG	\$2,020	\$1,820	\$1,727	\$2,098	\$1,889	\$1,793	\$1,863	\$1,684	\$1,598
IT System									
Horizontal cabling	\$36	\$35	\$36	\$38	\$37	\$37	\$31	\$31	\$31
Wi-Fi equipment	\$190	\$106	\$76	\$199	\$112	\$80	\$167	\$93	\$67
Telephony	\$14	\$14	\$14	\$14	\$14	\$14	\$12	\$12	\$12
Cellphone amplification system	not included	not included	not included	not included	not included	not included	not included	not included	not included
Video conferencing	\$186	\$247	\$225	\$196	\$260	\$236	\$164	\$218	\$198
Intra-building LAN equipment	\$92	\$59	\$57	\$96	\$62	\$60	\$81	\$52	\$50
WAN connectivity equipment	\$48	\$32	\$21	\$51	\$33	\$22	\$42	\$28	\$19
SSC Project Management (soft costs)	\$45	\$45	\$30	\$47	\$47	\$32	\$40	\$40	\$26
⁴Subtotal (less contingency and commissioning)	\$610	\$538	\$459	\$641	\$566	\$482	\$537	\$474	\$403
Total before soft costs	\$2,630	\$2,358	\$2,186	\$2,739	\$2,454	\$2,274	\$2,400	\$2,158	\$2,001
Prof. Design and Const. Mgmt. Fees									
Professional consulting fees for architectural, interior design, code review, mechanical, electrical and structural engineering services.	\$202	\$136	\$86	\$210	\$142	\$90	\$186	\$126	\$80
Lessor/Service Provider construction management fees	\$303	\$182	\$86	\$315	\$189	\$90	\$279	\$168	\$80
Sub-total	\$505	\$318	\$173	\$524	\$331	\$179	\$466	\$295	\$160
PSPC Labour									
Project leadership services	\$56	\$41	\$30	\$58	\$42	\$31	\$51	\$38	\$28
Supervisory services	\$76	\$59	\$47	\$79	\$61	\$49	\$70	\$55	\$44
AMWS services	\$10	\$9	\$9	\$10	\$9	\$9	\$9	\$8	\$8
Sub-total	\$141	\$109	\$86	\$147	\$113	\$90	\$130	\$101	\$80
*TOTAL	\$3,276	\$2,786	\$2,445	\$3,410	\$2,898	\$2,543	\$2,996	\$2,553	\$2,241

*does NOT include allowances for demolition, removal and handling of existing furnishings, or risk/contingency

Fit-Up Rate Tables for General Purpose Office by Location/City (continued)

Fit-up Elements	Saskatoon, SK Location Index: 1.056			Calgary, AB Location Index: 1.048			Edmonton, AB Location Index: 1.104		
	600 m ² (average of 3 levels)	1,200 m ² (average of 3 levels)	1,800 m ² (average of 3 levels)	600 m ² (average of 3 levels)	1,200 m ² (average of 3 levels)	1,800 m ² (average of 3 levels)	600 m ² (average of 3 levels)	1,200 m ² (average of 3 levels)	1,800 m ² (average of 3 levels)
Arch./Mech./Elec. and Other	\$/m ² U	\$/m ² U	\$/m ² U	\$/m ² U	\$/m ² U	\$/m ² U	\$/m ² U	\$/m ² U	\$/m ² U
² Partitions	\$237	\$229	\$254	\$235	\$227	\$252	\$247	\$239	\$265
² Doors and Frames (including hardware)	\$22	\$14	\$5	\$22	\$13	\$5	\$23	\$14	\$5
² Finishes	\$27	\$20	\$19	\$26	\$20	\$19	\$28	\$21	\$20
Sub-total (same BoG)	\$286	\$262	\$278	\$283	\$260	\$276	\$299	\$274	\$291
Millwork and Specialties	\$108	\$112	\$81	\$107	\$112	\$80	\$112	\$118	\$84
Plumbing	\$21	\$13	\$10	\$21	\$13	\$10	\$22	\$14	\$10
HVAC	\$322	\$260	\$241	\$319	\$258	\$239	\$336	\$272	\$252
Fire Protection	\$46	\$42	\$40	\$45	\$41	\$40	\$48	\$44	\$42
² Electrical	\$254	\$216	\$212	\$252	\$214	\$210	\$265	\$226	\$221
General Requirements	\$170	\$150	\$143	\$168	\$149	\$142	\$177	\$157	\$150
Panels/Screen (including service conduits, power rect., voice/data outlets)	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹
Original BoG	\$1,205	\$1,056	\$1,004	\$1,195	\$1,048	\$997	\$1,259	\$1,104	\$1,050
Design Contingency (15%)	\$181	\$158	\$151	\$179	\$157	\$149	\$189	\$166	\$157
Demountable partitions premium (avg)	included ²	included ²	included ²	included ²	included ²	included ²	included ²	included ²	included ²
Premium for ABW (average - 10%)	included ³	included ³	included ³	included ³	included ³	included ³	included ³	included ³	included ³
³Subtotal of Arch./Mech./Elec. BoG	\$1,386	\$1,214	\$1,155	\$1,375	\$1,205	\$1,146	\$1,448	\$1,269	\$1,207
Modified index for furnishings and AV	1.02	1.02	1.02	1.019	1.019	1.019	1.02	1.02	1.02
Furnishing and Equipment									
Workstation vertical partitions	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹
¹ Integrated and mobile furnishings	\$457	\$446	\$414	\$457	\$445	\$414	\$457	\$446	\$414
Audio Visual—Workstation, collaborative and meeting room monitors and connection hardware, Visual aid and electronic white boards, teleconferencing hardware, etc.	\$100	\$90	\$90	\$100	\$90	\$90	\$100	\$90	\$90
Signage and accessories	\$36	\$36	\$36	\$36	\$36	\$36	\$36	\$36	\$36
Sub-total	\$593	\$572	\$540	\$592	\$571	\$539	\$593	\$572	\$540
Total PSPC managed and delivered BoG	\$1,978	\$1,786	\$1,695	\$1,967	\$1,776	\$1,685	\$2,041	\$1,841	\$1,747
IT System									
Horizontal cabling	\$34	\$34	\$34	\$34	\$33	\$34	\$36	\$35	\$35
Wi-Fi equipment	\$181	\$101	\$73	\$179	\$100	\$72	\$189	\$106	\$76
Telephony	\$13	\$13	\$13	\$13	\$13	\$13	\$14	\$14	\$14
Cellphone amplification system	not included	not included	not included	not included	not included	not included	not included	not included	not included
Video conferencing	\$178	\$236	\$214	\$176	\$234	\$213	\$186	\$246	\$224
Intra-building LAN equipment	\$87	\$56	\$54	\$87	\$56	\$54	\$91	\$59	\$57
WAN connectivity equipment	\$46	\$30	\$20	\$46	\$30	\$20	\$48	\$32	\$21
SSC Project Management (soft costs)	\$43	\$43	\$29	\$43	\$43	\$28	\$45	\$45	\$30
⁴Subtotal (less contingency and commissioning)	\$582	\$513	\$437	\$577	\$509	\$434	\$608	\$536	\$457
Total before soft costs	\$2,560	\$2,299	\$2,132	\$2,544	\$2,285	\$2,119	\$2,649	\$2,377	\$2,204
Prof. Design and Const. Mgmt. Fees									
Professional consulting fees for architectural, interior design, code review, mechanical, electrical and structural engineering services.	\$198	\$134	\$85	\$197	\$133	\$84	\$204	\$138	\$87
Lessor/Service Provider construction management fees	\$297	\$179	\$85	\$295	\$178	\$84	\$306	\$184	\$87
Sub-total	\$495	\$313	\$169	\$492	\$311	\$169	\$510	\$322	\$175
PSPC Labour									
Project leadership services	\$54	\$40	\$30	\$54	\$40	\$29	\$56	\$41	\$31
Supervisory services	\$74	\$58	\$47	\$74	\$58	\$46	\$77	\$60	\$48
AMWS services	\$10	\$9	\$8	\$10	\$9	\$8	\$10	\$9	\$9
Sub-total	\$138	\$107	\$85	\$138	\$107	\$84	\$143	\$110	\$87
*TOTAL	\$3,193	\$2,719	\$2,386	\$3,173	\$2,703	\$2,372	\$3,302	\$2,810	\$2,466

*does NOT include allowances for demolition, removal and handling of existing furnishings, or risk/contingency

Fit-Up Rate Tables for General Purpose Office by Location/City (continued)

Fit-up Elements	Vancouver, BC Location Index: 1.034			Whitehorse, YK Location Index: 1.047			Yellowknife, NT Location Index: 1.101		
	600 m ² (average of 3 levels)	1,200 m ² (average of 3 levels)	1,800 m ² (average of 3 levels)	600 m ² (average of 3 levels)	1,200 m ² (average of 3 levels)	1,800 m ² (average of 3 levels)	600 m ² (average of 3 levels)	1,200 m ² (average of 3 levels)	1,800 m ² (average of 3 levels)
Arch./Mech./Elec. and Other	\$/m ² U	\$/m ² U	\$/m ² U	\$/m ² U	\$/m ² U	\$/m ² U	\$/m ² U	\$/m ² U	\$/m ² U
² Partitions	\$232	\$224	\$249	\$235	\$227	\$252	\$247	\$239	\$265
² Doors and Frames (including hardware)	\$22	\$13	\$5	\$22	\$13	\$5	\$23	\$14	\$5
² Finishes	\$26	\$19	\$19	\$26	\$20	\$19	\$28	\$21	\$20
Sub-total (same BoG)	\$280	\$257	\$272	\$283	\$260	\$275	\$298	\$273	\$290
Millwork and Specialties	\$105	\$110	\$79	\$107	\$111	\$80	\$112	\$117	\$84
Plumbing	\$20	\$13	\$10	\$21	\$13	\$10	\$22	\$14	\$10
HVAC	\$315	\$254	\$236	\$319	\$258	\$239	\$335	\$271	\$251
Fire Protection	\$45	\$41	\$39	\$45	\$41	\$39	\$48	\$44	\$42
² Electrical	\$248	\$212	\$207	\$251	\$214	\$210	\$264	\$225	\$220
General Requirements	\$166	\$147	\$140	\$168	\$149	\$142	\$177	\$157	\$149
Panels/Screen (including service conduits, power rect., voice/data outlets)	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹
Original BoG	\$1,179	\$1,034	\$983	\$1,194	\$1,047	\$995	\$1,256	\$1,100	\$1,047
Design Contingency (15%)	\$177	\$155	\$147	\$179	\$157	\$149	\$188	\$165	\$157
Demountable partitions premium (avg)	included ²	included ²	included ²	included ²	included ²	included ²	included ²	included ²	included ²
Premium for ABW (average - 10%)	included ³	included ³	included ³	included ³	included ³	included ³	included ³	included ³	included ³
³Subtotal of Arch./Mech./Elec. BoG	\$1,356	\$1,189	\$1,131	\$1,373	\$1,203	\$1,145	\$1,444	\$1,265	\$1,204
Modified index for furnishings and AV	0.975	0.975	0.975	1.226	1.226	1.226	1.234	1.234	1.234
Furnishing and Equipment									
Workstation vertical partitions	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹
¹ Integrated and mobile furnishings	\$437	\$426	\$396	\$549	\$536	\$498	\$553	\$539	\$501
Audio Visual—Workstation, collaborative and meeting room monitors and connection hardware, Visual aid and electronic white boards, teleconferencing hardware, etc.	\$96	\$86	\$86	\$120	\$109	\$108	\$121	\$109	\$109
Signage and accessories	\$34	\$34	\$34	\$43	\$43	\$43	\$43	\$43	\$43
Sub-total	\$567	\$547	\$516	\$712	\$687	\$649	\$717	\$692	\$653
Total PSPC managed and delivered BoG	\$1,923	\$1,735	\$1,647	\$2,086	\$1,891	\$1,794	\$2,161	\$1,957	\$1,857
IT System									
Horizontal cabling	\$33	\$33	\$33	\$34	\$33	\$34	\$35	\$35	\$35
Wi-Fi equipment	\$177	\$99	\$71	\$179	\$100	\$72	\$188	\$105	\$76
Telephony	\$13	\$13	\$13	\$13	\$13	\$13	\$14	\$14	\$14
Cellphone amplification system	not included	not included	not included	not included	not included	not included	not included	not included	not included
Video conferencing	\$174	\$231	\$210	\$176	\$234	\$212	\$185	\$246	\$223
Intra-building LAN equipment	\$86	\$55	\$53	\$87	\$56	\$54	\$91	\$59	\$57
WAN connectivity equipment	\$45	\$30	\$20	\$46	\$30	\$20	\$48	\$31	\$21
SSC Project Management (soft costs)	\$42	\$42	\$28	\$43	\$43	\$28	\$45	\$45	\$30
⁴Subtotal (less contingency and commissioning)	\$570	\$502	\$428	\$577	\$509	\$433	\$606	\$535	\$455
Total before soft costs	\$2,492	\$2,238	\$2,074	\$2,662	\$2,399	\$2,227	\$2,767	\$2,492	\$2,312
Prof. Design and Const. Mgmt. Fees									
Professional consulting fees for architectural, interior design, code review, mechanical, electrical and structural engineering services.	\$192	\$130	\$82	\$209	\$142	\$90	\$216	\$147	\$93
Lessor/Service Provider construction management fees	\$288	\$174	\$82	\$313	\$189	\$90	\$324	\$196	\$93
Sub-total	\$481	\$304	\$165	\$521	\$331	\$179	\$540	\$343	\$186
PSPC Labour									
Project leadership services	\$53	\$39	\$29	\$57	\$43	\$31	\$59	\$44	\$32
Supervisory services	\$72	\$56	\$45	\$78	\$61	\$49	\$81	\$64	\$51
AMWS services	\$10	\$9	\$8	\$10	\$9	\$9	\$11	\$10	\$9
Sub-total	\$135	\$104	\$82	\$146	\$113	\$90	\$151	\$117	\$93
*TOTAL	\$3,108	\$2,645	\$2,321	\$3,330	\$2,844	\$2,496	\$3,459	\$2,952	\$2,591

*does NOT include allowances for demolition, removal and handling of existing furnishings, or risk/contingency

Fit-Up Rate Tables for General Purpose Office by Location/City (continued)

Fit-up Elements	Inuvik, NT Location Index: 1.448			Iqaluit, NU Location Index: 1.569		
	600 m ² (average of 3 levels)	1,200 m ² (average of 3 levels)	1,800 m ² (average of 3 levels)	600 m ² (average of 3 levels)	1,200 m ² (average of 3 levels)	1,800 m ² (average of 3 levels)
Arch./Mech./Elec. and Other	\$/m ² U	\$/m ² U	\$/m ² U	\$/m ² U	\$/m ² U	\$/m ² U
² Partitions	\$325	\$314	\$348	\$352	\$340	\$377
² Doors and Frames (including hardware)	\$30	\$19	\$7	\$33	\$20	\$8
² Finishes	\$37	\$27	\$26	\$40	\$29	\$28
Sub-total (same BoG)	\$392	\$360	\$381	\$424	\$390	\$413
Millwork and Specialties	\$148	\$154	\$111	\$160	\$167	\$120
Plumbing	\$28	\$18	\$14	\$31	\$19	\$15
HVAC	\$441	\$356	\$330	\$478	\$386	\$358
Fire Protection	\$63	\$57	\$55	\$68	\$62	\$59
² Electrical	\$348	\$296	\$290	\$377	\$321	\$314
General Requirements	\$233	\$206	\$197	\$252	\$223	\$213
Panels/Screen (including service conduits, power rect., voice/data outlets)	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹
Original BoG	\$1,652	\$1,448	\$1,377	\$1,789	\$1,568	\$1,492
Design Contingency (15%)	\$248	\$217	\$207	\$268	\$235	\$224
Demountable partitions premium (avg)	included ²	included ²	included ²	included ²	included ²	included ²
Premium for ABW (average - 10%)	included ³	included ³	included ³	included ³	included ³	included ³
³Subtotal of Arch./Mech./Elec. BoG	\$1,900	\$1,665	\$1,584	\$2,058	\$1,803	\$1,715
Modified index for furnishings and AV	1.566	1.566	1.566	1.753	1.753	1.753
Furnishing and Equipment						
Workstation vertical partitions	included ¹	included ¹	included ¹	included ¹	included ¹	included ¹
¹ Integrated and mobile furnishings	\$702	\$684	\$636	\$785	\$766	\$712
Audio Visual—Workstation, collaborative and meeting room monitors and connection hardware, Visual aid and electronic white boards, teleconferencing hardware, etc.	\$154	\$139	\$138	\$172	\$155	\$155
Signage and accessories	\$55	\$55	\$55	\$61	\$61	\$61
Sub-total	\$910	\$878	\$829	\$1,019	\$983	\$928
Total PSPC managed and delivered BoG	\$2,810	\$2,543	\$2,413	\$3,076	\$2,786	\$2,643
IT System						
Horizontal cabling	\$47	\$46	\$47	\$51	\$50	\$50
Wi-Fi equipment	\$248	\$139	\$100	\$268	\$150	\$108
Telephony	\$18	\$18	\$18	\$19	\$19	\$19
Cellphone amplification system	not included	not included	not included	not included	not included	not included
Video conferencing	\$243	\$323	\$294	\$264	\$350	\$318
Intra-building LAN equipment	\$120	\$77	\$74	\$130	\$84	\$81
WAN connectivity equipment	\$63	\$41	\$28	\$68	\$45	\$30
SSC Project Management (soft costs)	\$59	\$59	\$39	\$64	\$64	\$43
⁴Subtotal (less contingency and commissioning)	\$798	\$704	\$599	\$864	\$762	\$649
Total before soft costs	\$3,608	\$3,247	\$3,012	\$3,940	\$3,548	\$3,292
Prof. Design and Const. Mgmt. Fees						
Professional consulting fees for architectural, interior design, code review, mechanical, electrical and structural engineering services.	\$281	\$191	\$121	\$308	\$209	\$132
Lessor/Service Provider construction management fees	\$421	\$254	\$121	\$461	\$279	\$132
Sub-total	\$702	\$445	\$241	\$769	\$488	\$264
PSPC Labour						
Project leadership services	\$77	\$57	\$42	\$85	\$63	\$46
Supervisory services	\$105	\$83	\$66	\$115	\$91	\$73
AMWS services	\$14	\$13	\$12	\$15	\$14	\$13
Sub-total	\$197	\$153	\$121	\$215	\$167	\$132
*TOTAL	\$4,507	\$3,844	\$3,374	\$4,925	\$4,203	\$3,689

*does NOT include allowances for demolition, removal and handling of existing furnishings, or risk/contingency

Fit-Up Rate Tables for Ministerial, Quasi-judicial and Call Centre spaces – only NCA values shown

Fit-up Elements	NCA (ON and QC) Location Index: 1.000		
	Ministerial (average for all sized areas)	Quasi-judicial (average for all sized areas)	Call centre (average for all floor plates)
Arch./Mech./Elec. and Other	\$/m ² U	\$/m ² U	\$/m ² U
² Partitions	\$458	\$319	\$276
² Doors and Frames (including hardware)	\$107	\$93	\$55
² Finishes	\$75	\$57	\$23
Sub-total (same BoG)	\$640	\$469	\$353
Millwork and Specialties	\$76	\$43	\$38
Plumbing	\$116	\$46	\$19
HVAC	\$1,008	\$218	\$220
Fire Protection	\$99	\$86	\$55
² Electrical	\$259	\$316	\$385
General Requirements	\$264	\$141	\$128
Panels/Screen (including service conduits, power rect., voice/data outlets)	included ¹	included ¹	included ¹
Original BoG	\$2,462	\$1,320	\$1,198
Design Contingency (15%)	\$369	\$198	\$180
Demountable partitions premium (avg)	included ²	included ²	included ²
Premium for ABW (average - 10%)	included ³	included ³	included ³
³Subtotal of Arch./Mech./Elec. BoG	\$2,831	\$1,518	\$1,378
Furnishing and Equipment			
Workstation vertical partitions	included ³	included ³	included ³
¹ Integrated and mobile furnishings	\$577	\$503	\$430
Audio Visual—Workstation, collaborative and meeting room monitors and connection hardware, Visual aid and electronic white boards, teleconferencing hardware, etc.	\$92	\$92	\$92
Signage and accessories	\$35	\$35	\$35
Sub-total	\$704	\$629	\$557
Total PSPC managed and delivered BoG	\$3,535	\$2,147	\$1,935
IT System			
Horizontal cabling	\$32	\$32	\$32
Wi-Fi equipment	\$137	\$137	\$137
Telephony	\$10	\$10	\$10
Cellphone amplification system	not included	not included	not included
Video conferencing	\$172	\$172	\$172
Intra-building LAN equipment	\$55	\$55	\$55
WAN connectivity equipment	\$27	\$27	\$27
SSC Project Management (soft costs)	\$40	\$40	\$40
⁴Subtotal (less contingency and commissioning)	\$472	\$472	\$472
Total before soft costs	\$4,007	\$2,619	\$2,407
Prof. Design and Const. Mgmt. Fees			
Professional consulting fees for architectural, interior design, code review, mechanical, electrical and structural engineering services.	\$265	\$161	\$145
Lessor/Service Provider construction management fees	\$353	\$215	\$193
Sub-total	\$619	\$376	\$339
PSPC Labour			
Project leadership services	\$80	\$48	\$44
Supervisory services	\$115	\$70	\$63
AMWS services	\$18	\$11	\$10
Sub-total	\$212	\$129	\$116
*TOTAL	\$4,838	\$3,124	\$2,862

*does NOT include allowances for demolition, removal and handling of existing furnishings, or risk/contingency

A6.2 Source of Funds for Non-compliant Workplace Fit-up Elements

The PSPC Real Property Services business line budget is funded to fit-up office space to meet general administrative and public contact operational requirements. Real Property Services is not resourced to cover the cost of special fit-up requirements for quasi-judicial offices, secure administrative offices and Special Purpose Space. Therefore, a source of funds must be identified to cover the difference between the cost of providing general-purpose office space and the client's special requirements. This responsibility lies with client departments and agencies; however, PSPC as a real property expert and a common service provider, can provide support in discussions with Treasury Board Secretariat.

Client departments and agencies must document any specific requirements for accommodation, including requirements for additional funding in a business case so that an appropriate funding source may be considered. PSPC can assist with:

- The confirmation of department/agency fit-up requirements;
- The identification of fit-up elements and level of service (soft costs) above standards;
- The provision of cost estimates; and
- The recognition that additional funding is required (above PSPC's funded standards) and that securing these funds is a client department/agency accountability.

Should additional funding be required, there are two potential sources of funds:

- The client department/agency's current operating budget; or
- Treasury Board (new money).

Once the source of funds is determined, several payment options can be explored. For example:

For space replacement projects

- If the source of funds is Treasury Board, the new funding can be directed to the client's budget or to PSPC's; or
- If the source of funds is the client, the client can pay by means of a Specific Service Agreement (SSA) or request an operating budget transfer to PSPC's via ARLU or Supplementary Estimates.

For expansion projects

- If the source of funds is the new approved program, the accommodation levy (13%) could be increased to a percentage that would recognize the additional costs or through a fully costed Treasury Board submission.

A6.3 Additional Direct and Indirect Costs

When project parameters are in compliance with the PSPC accommodation policies and fit-up standards, there are a number of additional direct and indirect costs considered to be part of the project delivery and funded by PSPC. As indicated in the table below, some of the standard items/activities are included in the fit-up cost limits while others must be programmed separately through Building Management Plans (BMPs) or otherwise identified at the time of the project. Costs for items/activities under the responsibility of client departments/agencies are also identified below:

A. Other Direct Costs

Other Items/Activities Inherent to Fit-up Projects	Funding Accountabilities		
	Fit-up Cost Limit	Other Project Costs	Client Cost
• Building and occupancy permits, as required.		Yes	
• Contractor's overhead and profit.	Yes		
• Commissioning—component systems and integrated systems performance testing, training, commissioning documentation including building management manual, as built, balancing, etc.	Yes	Yes	Yes
• Development of the functional program (see Glossary).	Yes		
• Dismantling, moving and reassembling computers, and other specialized equipment/furnishings or client owned items.			Yes
• Moving supplies and services for forced moves.		Yes	
• Return to initial state at end of lease or demolition in Crown-owned facilities—all standard fit-up elements.		Yes	
• Return to initial state at end of occupancy—all nonstandard items initially paid for by the client (e.g., washroom for specific tenant use).			Yes
• Security guards for after-hours work in occupied space.			Yes
• Security guard services or other expenses related to client's security needs.			Yes
• Space measurement.		Yes	
• Trade costs specifically related to the construction contract.	Yes		

B. Consultant Fees (Direct "Soft" Costs)

Other Items/Activities Inherent to Fit-up Projects	Funding Accountabilities		
	Fit-up Cost Limit	Other Project Costs	Client Cost
• Professional consulting fees for architectural, interior design, code review (if ESDC cannot provide service), mechanical, electrical and structural engineering services.		Yes	
• Fees and other costs related to additional design reviews and specialized requirements (see section A7.1: Fit-up Cost Estimate).			Yes

C. Other Fees (Direct "Soft" Costs)

Other Items/Activities Inherent to Fit-up Projects	Funding Accountabilities		
	Fit-up Cost Limit	Other Project Costs	Client Cost
• Lessor/service provider management fee for soft costs.		Yes	
• Lessor/service provider management fee for construction.		Yes	
• Lessor/service provider fee related to portion funded by the client.			Yes

D. Fees Indirect Costs

Other Items/Activities Inherent to Fit-up Projects	Funding Accountabilities		
	Fit-up Cost Limit	Other Project Costs	Client Cost
• PSPC Accommodation planning and design fee.		Yes	
• PSPC Project management fee.		Yes	
• PSPC Project leadership fee.		Yes	
• PSPC Construction supervisory fee.		Yes	
• PSPC Fee for other services, as required.		Yes	
• PSPC Fee related to portion funded by the client.			Yes
• PSPC Fee for oversight of change management		Yes	
• SSC Project management labour fee		Yes	

E. Operation and Maintenance Cost

Other Items/Activities Inherent to Fit-up Projects	Funding Accountabilities		
	Fit-up Cost Limit	Other Project Costs	Client Cost
• Standard base building, cleaning and maintenance services as described in the Occupancy Instrument.		Yes	
• Maintenance and other fees associated with client funded fit-up elements.			Yes
• Additional base building and cleaning services.			Yes

A6.4 Project Delivery Cost Controls

It is not only the fit-up project, but also the process for delivering a fit-up project, that must be controlled to help constrain costs. Extensive changes or numerous revisions during the planning and design stages risk causing delays in the project schedule as well as overruns in the budget.

In order to ensure more timely and cost effective delivery of fit-up projects, the following controls and funding accountabilities will apply:

- The “two revision rule”—The *Government of Canada Workplace Fit-up Standards* allow a maximum of two client requested revisions per deliverable during the schematic and design development stages prior to final approval. Anything over this limit is non-standard and billable to the client. (**Note:** If the two revisions are not used at one stage, there is no provision to carry the allowance over to a subsequent stage.)
- Costs related to delays in reviewing and approving project documents (drawings, specifications) are billable to the client.
- Costs related to design changes requested following the design development stage (including design, management fees and the cost of delays during the construction drawing stages and all costs resulting from changes requested during the construction or post occupancy stages) are billable to the client.
- Costs related to implementing client requested revisions to previously approved (signed off) documents are billable to the client.
- Additional design and management services generated by specialized or enhanced client requirements, including accelerated project delivery, are billable to the client.

A “client requested revision” is deemed to be a requirement or preference not previously identified, that necessitates a substantial re-examination of completed work (such as reworking of previous drawings and/or project documents), in order to find a solution that would accommodate the new requirement.

Minor adjustments to drawings that do not have substantial impact on other areas, such as relocating a door or reorienting a workstation, are not considered a “revision” relative to the “two revision rule”. Similarly, work that is deemed by the project manager to be contractually incomplete or non-compliant with the standards is not considered a client responsibility.

A7. Fit-up Cost Estimate and Tools

A7.1 Fit-up Cost Estimate

PSPC employees may consult the Cost Planning Workbook(s) for current up to date guidance on developing cost estimates for project approval. The breakdown below provides an overview of the cost categories that should be included when calculating a fit-up cost estimate.

Fit-up Element
Partitions
Doors and Frames (including hardware)
Finishes
Millwork and Specialties
Plumbing
HVAC
Fire Protection
Electrical
General Requirements ¹
Panels/screens (including service conduits, power receptacles and voice/data outlets)
IT Systems
Furnishings

1. Includes insurance, bonding, site office and supplies, site safety and security and materials handling.

Other variables that could impact fit-up costs include, but are not limited to:

- project size;
- open workstation/enclosed spaces and support space ratio;
- ceiling heights;
- specific detailing of partition assemblies;
- specific design features;
- the inclusion of “atypical” support spaces (e.g., first-aid room, primary reception area, etc.);
- existing conditions (e.g., need to relocate a fire extinguisher or fire hose cabinet, a non-uniform layout of sprinklers or air supply/returns, etc.); and
- region/municipality (e.g., the cost of developing office space is generally higher in Toronto than in Winnipeg).

A7.2 The Real Property Space Assessment and Planning App

The Real Property Space Assessment and Planning App (RP-SAPA) is used by the PSPC Real Property Services accommodation management community and Real Property and Accommodation Services within client departments as part of the real property project planning process. The Space Assessment module of the App replaces the Space Allocation Standards Calculator as it contains the ability to assess employee external mobility and its impact on a recommended space allocation limit. All results calculated on the Space Assessment App are in compliance with the *Space Allocation Standards* and the *Government of Canada Workplace Fit-Up Standards*. Use of the App is mandatory as it improves the ability to analyze options within the maximum space allocations to be applied when planning, acquiring and monitoring use of office accommodation provided by PSPC to client departments. The App can assess Space Allocation Limit per department by calculating Office Space Allocation limit, Special Purpose Space, Additional Operation Space and Other types of Office Space requirements.

Access to the RP Space Assessment and Planning App is obtained after completing a 1-2 hr training session on the Space Assessment module of the App. To obtain information on upcoming training sessions, please send a request to the generic mailbox: TPSGC.Amenagement-FITUP.PWGSC@tpsgc-pwgsc.gc.ca.



Section B: Ministerial and Deputy Head Office Accommodations



B1. Introduction

B1.1 General Information

Overview

The following section has been developed to address the special fit-up requirements of Ministerial and Deputy Head office accommodation as provided by PSPC. This section follows the generic approach of the standards for general administrative office space ([section A](#)) with some exceptions, the most notable of which are size and location of enclosed offices, provision of private washrooms and dedicated support space, and modifications to wall finishes, lighting and kitchenette millwork.

Application

This section applies to accommodation for Ministers and Ministers of State and their staff in departmental headquarters offices (see *TB Guidelines for Ministers' Offices*), and for Deputy Heads and their staff, including Associate Deputy Ministers. Ministerial and Deputy Head offices are accommodated within the space envelope of the client department or agency and are **NOT** designated as special purpose space (SPS).

Please note, this section does not apply to Ministers' space on Parliament Hill, Constituency Offices, Ministers' Regional Offices (MROs) or to heads of quasi-judicial organizations.

Approvals and Governance

Approval of standards for Ministerial and Deputy Head accommodation ultimately rests with the Minister of PSPC. Ministers' departmental headquarters offices are also subject to the *TB Policies for Minister's Offices* while Deputy Heads' offices are subject to the *PSPC Accommodation Management Framework*.

The client department must provide justification for all requirements that exceed the guidelines to the satisfaction of the PSPC project team.

B2. Standards

B2.1 Fit-up Elements and Funding Accountabilities

The following chart identifies fit-up elements and funding accountabilities related to the special fit-up requirements for Ministerial and Deputy Head office suites. These elements are provided in addition to those provided for general administrative office space. The elements provided are funded as follows:

- Base building elements are funded by PSPC;
- Fit-up elements for non-reimbursing clients are funded by PSPC up to the fit-up rates for Deputy Ministerial and Ministerial Offices (see [section A6.1](#));
- Fit-up elements for reimbursing clients and Expansion Control Framework (ECF) are funded by the client department or agency;
- Other elements are funded by the client department or agency, including all related commissioning, testing and ongoing maintenance.

PSPC is responsible for initial fit-up of the space. Changes to existing offices during the term of an occupancy (e.g., during a Minister's or Minister of State's tenure or on appointment of a new Minister or Minister of State) are funded by the department or agency as a tenant service.

A. Interior Construction

Element	PSPC Funded	PSPC Funded in Non-reimbursing Occupancy	Other
1. Partition Walls			
(a) Offices for Ministers			
(i) Slab to slab construction with or without vestibule ¹ (secure speech privacy).		Yes	
(b) Offices for Deputy Heads and Associate Deputy Ministers			
(i) Slab to underside of ceiling with insulation and plenum barriers ¹ (enhanced speech privacy).		Yes	
(ii) Slab to slab construction with or without vestibule (secure speech privacy as determined by the Departmental Security Officer ¹).			Yes ¹
(c) Offices for ministerial exempt staff			
(i) Slab to underside of ceiling with insulation and plenum barriers ¹ (enhanced speech privacy).			Yes ¹
2. Door hardware			
(a) Offices and private washrooms for Ministers—mortise (keyed) lock set and lever trim (handle) on office entry and washroom doors.	Yes		

A. Interior Construction (continued)

Element	PSPC Funded	PSPC Funded in Non-reimbursing Occupancy	Other
(b) Private washrooms for Deputy Heads—cylinder with thumb turn lock.		Yes	
3. Interior specialties			
(a) Private washrooms for Ministers and Deputy Heads—three-piece washroom including built-in shower, vanity, storage and accessories as allocated in section B2.2 and as illustrated in section B4.1 .		Yes	
(b) Kitchenettes and shared equipment areas for Ministers' and Deputy Heads' suites—additional millwork as allocated in section B2.2 and illustrated in section B4.2 to accommodate dishwashers and other special requirements.		Yes	
4. Interior specialties			
(a) Wall/base finishes			
(i) Offices for Ministers, Deputy Heads and Associate Deputy Ministers—paint or unfinished to suit performance requirements and substrate, two wall surfaces may be finished in midrange quality wall covering.		Yes	
(ii) Private washrooms for Ministers and Deputy Heads—ceramic tile in shower surround and above basin, as required.		Yes	

1. Client cost—**NOT** subject to the non-compliance approval process.

B. Services

Element	PSPC Funded	PSPC Funded in Non-reimbursing Occupancy	Other
1. Plumbing systems			
(a) Private washrooms for Ministers and Deputy Heads—all related fixtures and services required for three-piece washroom with built-in shower.		Yes	
2. Heating, ventilation and air-conditioning systems			
(a) Ministerial and Deputy Head suites—modifications to base building system or independent system to meet requirement for 24/7 operations.		Yes	
3. Electrical systems			
(a) Power—Emergency power in support of 24/7 operations.			Yes ¹

B. Services (continued)

Element	PSPC Funded	PSPC Funded in Non-reimbursing Occupancy	Other
(b) Lighting—Offices for Ministers, Deputy Heads and Associate Deputy Ministers—lighting modifications to suit office functions (including addition of parabolic louvers, relocation of base building lighting, addition of accent lighting). These modifications do not include the removal/upgrade of base building ceiling or lighting. (See section B4.1 for examples).		Yes	

1. Client cost—**NOT** subject to the non-compliance approval process.

B2.2 Office and Support Space Allocations

The following notes and tables describe the special office and support space allocations for Ministerial and Deputy Head suites. Where not otherwise stated below, allocations for Ministerial and Deputy Head accommodation are provided in accordance with the standards for general-purpose office space as described in [section A](#).

Office Space

Closed Offices for Ministers, Deputy Heads and Associate Deputy Ministers

See [section B4.1](#) for drawings that illustrate typical sizes and configurations of closed offices for ministers, deputy heads and Associate Deputy Ministers, including standard mechanical and electrical requirements. The following table describes the maximum size allowances for these offices.

Positions	Maximum Area (um ²)
Ministers and Ministers of State	48 ¹
Deputy heads and associate deputy heads of departments and agencies, and equivalents (e.g., Deputy Ministers, Associate Deputy Ministers)	37 ²

1. Includes 3 m² vestibule for secure speech privacy.
2. If secure speech privacy is required, add 3 m² for vestibule (client cost).

Offices may be located on perimeter walls. It is important to note, however, that acoustic control may be adversely affected by perimeter HVAC units or other building perimeter conditions.

Floor finish:	base building standard carpet
Wall finish:	paint or unfinished to suit substrate, one or two walls may be finished in mid-range quality wall covering
Lighting:	base building (may be modified and relocated to suit) and accent lighting (optional) with separate switching

Private Washrooms

See [section B4.1](#) for drawings that illustrate the typical size, configurations and millwork allowances for private washrooms. Private washrooms are provided for ministers and deputy heads only. They are not allocated to Associate Deputy Ministers. The standards include a three-piece washroom with built-in shower, vanity and storage. Provisions are as follows:

Maximum area:	9 m ²
Millwork:	1,800 linear mm (6') of counter and storage
Floor finish:	resilient sheet or ceramic tile
Wall finish:	paint or unfinished to suit substrate, ceramic tile on shower surround and above basin
Lighting:	wall mounted (sconce), recessed down lights and sealed shower light, all with separate switching

Offices for Ministerial Exempt Staff

Enclosed offices are provided for ministerial exempt staff. The maximum office size of 10 m² is applied consistently regardless of the levels of the positions. See [section B4.1](#) for drawings that illustrate typical sizes and configurations

Offices for ministerial exempt staff may be located on perimeter walls where no other option exists as a result of the high ratio of closed to open space. Standard mechanical requirements are as per those described under the typical office layout for Associate Deputy Ministers in [section B4.1](#).

Support Space

Meeting Rooms

Ministerial and Deputy Head suites are allocated a 30 m² sized meeting room each, in addition to the meeting room provided as part of the GCworkplace design for general administrative space. These meeting rooms are to be classified as special purpose space and are also typically collocated with the deputy heads' suites.

Quiet/Touchdown Rooms

Other enclosed support spaces are provided in accordance with [section A](#) for general administrative office space.

Kitchenettes

Kitchenettes are provided in both Ministerial and Deputy Head suites. The sample plan in [section B3.1](#) illustrates a typical configuration of these spaces sized to suit the population and functions they serve. The direction set out in [section A](#) for general administrative office space standards for kitchenettes, apply with the exception that millwork for Ministerial and Deputy Head kitchenettes is modified to accommodate a dishwasher. See [section B4.2](#) for a drawing that illustrates the typical millwork provisions.

Planning ratio: one 10—20 m² kitchenette per suite

Millwork: 3,000 linear mm (10') of counter and upper/lower storage per kitchenette

Equipment Areas

The direction set out in [section A](#) for general administrative office space apply with the exception that Ministerial and Deputy Ministerial suites are allocated additional space to accommodate special equipment requirements and lockable doors to provide access control.

Planning ratio: one 10—14 m² area per suite

Millwork: 2,400 linear mm (8') of counter and lower storage per area

Reception Waiting Area

A reception area with seating and display is typically located adjacent to the departmental boardroom, or as otherwise required.

Note: In instances where there are multiple Ministerial and/or Deputy Head suites on a floor, support spaces, in particular reception, meeting and kitchenette facilities, shall be shared to the greatest extent possible.

B3. Planning

B3.1 Planning and Design

Hard wall construction is significantly more extensive to provide the additional access control and speech privacy associated with Ministerial and Deputy Head offices.

However, the planning and design principles described in [section A1](#) and the *GCworkplace Design Guide* are to be applied, to the greatest extent possible, to ensure those in open workstations have access to natural light.


The following sample floor plan illustrates these factors as applied to the allocations for Ministerial and Deputy Head office and support space.

B4. Sample Detail Drawings

B4.1 Offices

Typical Office Layout with Washroom—Minister (example 1)

office—maximum 48 m² (517 ft²)/washroom—maximum 9 m² (97 ft²)



Summary

Office accommodates requirements for personal workspace, shelving, storage, soft seating and small meeting table. Furniture layouts may vary.

Standard Electrical Requirements

- 6 standard electrical duplex receptacles (2 circuits) plus GFI (ground fault interrupter) duplex receptacle in washroom
- 3 image/voice/data outlets (*Note:* client to provide actual connectors and jacks, typically RJ45 with multiple jacks.)
- separate switch/light controls as required


Standard Mechanical Requirements

Perimeter zone (*Note:* HVAC system must be capable of operating on a “24/7” basis):

- individual thermostat control c/w dedicated terminal units (VAV box, fan coil unit, air handling unit) and interlock to perimeter system
- supply and return air diffuser(s)/grille(s)
- transfer return air fan c/w on/off switch for full height partitions
- washroom exhaust c/w exhaust air grille
- water closet, sink and shower c/w sanitary, vent, hot and cold water and insulation
- hot water tank (minimum 20-25 gallons)
- noise abatement and security as required

Typical Office Layout with Washroom—Minister (example 1—reflected ceiling)

office—maximum 48 m² (517 ft²)/washroom—maximum 9 m² (97 ft²)




Legend

- | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |  |
| Fluorescent light | "Pot" light (RD) | Sealed shower light | Wall sconce | Light switch | Light switch with dimmer | Floor lamp | Desk lamp | Pendant light |

Typical Office Layout with Washroom—Minister (example 2)

office—maximum 48 m² (517 ft²)/washroom—maximum 9 m² (97 ft²)



Summary

Office accommodates requirements for personal workspace, shelving, storage, soft seating and small meeting table. Furniture layouts may vary.

Standard Electrical Requirements

- 6 standard electrical duplex receptacles (2 circuits) plus GFI (ground fault interrupter) duplex receptacle in washroom
- 3 image/voice/data outlets (**Note:** client to provide actual connectors and jacks, typically RJ45 with multiple jacks.)
- separate switch/light controls as required


Standard Mechanical Requirements

Perimeter zone (**Note:** HVAC system must be capable of operating on a “24/7” basis.):




- individual thermostat control c/w dedicated terminal units (VAV box, fan coil unit, air handling unit) and interlock to perimeter system
- supply and return air diffuser(s)/grille(s)
- transfer return air fan c/w on/off switch for full height partitions
- washroom exhaust c/w exhaust air grille
- water closet, sink and shower c/w sanitary, vent, hot and cold water and insulation
- hot water tank (minimum 20–25 gallons)
- noise abatement and security as required

Typical Office Layout with Washroom—Minister (example 2—reflected ceiling)

office—maximum 48 m² (517 ft²)/washroom—maximum 9 m² (97 ft²)




Legend

- 
 Fluorescent light
- 
 “Pot” light (RD)
- 
 Sealed shower light
- 
 Wall sconce
- 
 Light switch
- 
 Light switch with dimmer
- 
 Floor lamp
- 
 Desk lamp
- 
 Pendant light

Typical Office Layout with Washroom—Deputy Minister

office—maximum 37 m² (398 ft²)/washroom—maximum 9 m² (97 ft²)



Summary

Office accommodates requirements for personal workspace, shelving, storage, soft seating and small meeting table. Furniture layouts may vary.

Standard Electrical Requirements

- 6 standard electrical duplex receptacles (2 circuits) plus GFI (ground fault interrupter) duplex receptacle in washroom
- 3 image/voice/data outlets (*Note:* client to provide actual connectors and jacks, typically RJ45 with multiple jacks.)
- separate switch/light controls as required


Standard Mechanical Requirements

Perimeter zone (*Note:* HVAC system must be capable of operating on a “24/7” basis.):

- individual thermostat control c/w dedicated terminal units (VAV box, fan coil unit, air handling unit) and interlock to perimeter system
- supply and return air diffuser(s)/grille(s)
- transfer return air fan c/w on/off switch for full height partitions
- washroom exhaust c/w exhaust air grille
- water closet, sink and shower c/w sanitary, vent, hot and cold water and insulation
- hot water tank (minimum 20–25 gallons)
- noise abatement and security as required

Typical Office Layout with Washroom—Deputy Minister (reflected ceiling)

office—maximum 37 m² (398 ft²)/washroom—maximum 9 m² (97 ft²)




Legend

-  Fluorescent light
-  "Pot" light (RD)
-  Sealed shower light
-  Wall sconce
-  Light switch
-  Light switch with dimmer
-  Floor lamp (FL)
-  Desk lamp (DL)
-  Pendant light

Typical Office Layout—Associate Deputy Minister

office—maximum 37 m² (398 ft²)



Summary

Office accommodates requirements for personal workspace, shelving, storage, soft seating and small meeting table. Furniture layouts may vary.

Standard Electrical Requirements

- 6 standard electrical duplex receptacles (2 circuits)
- 3 image/voice/data outlets (**Note:** client to provide actual connectors and jacks, typically RJ45 with multiple jacks.)
- separate switch/light controls as required


Standard Mechanical Requirements

Perimeter zone (**Note:** HVAC system must be capable of operating on a “24/7” basis.):

- individual thermostat control c/w dedicated terminal units (VAV box, fan coil unit, air handling unit) and interlock to perimeter system
- supply and return air diffuser(s)/grille(s)
- transfer return air fan c/w on/off switch for full height partitions
- noise abatement and security as required

Typical Office Layout—Associate Deputy Minister (reflected ceiling)

office—maximum 37 m² (398 ft²)




Legend

- | | | | | | | | | |
|-------------------|------------------|---------------------|-------------|--------------|--------------------------|------------|-----------|---------------|
| | | | | | | | | |
| Fluorescent light | "Pot" light (RD) | Sealed shower light | Wall sconce | Light switch | Light switch with dimmer | Floor lamp | Desk lamp | Pendant light |

Enclosed Office for Ministerial Exempt Staff

Examples of Enclosed Office Layouts
10 m² (100 ft²)



Note: This example provides for fully accessible office.

Summary

Offices accommodate average requirements for work surfaces, shelving, storage and filing. Furniture can be freestanding or hung from reusable partition systems.

Note: Furniture layouts are provided as examples and may vary.

Standard Finishes

- Floor—base building standard carpet (carpet tile or rolled goods)
- Walls—paint or unfinished to suit substrate (**Note:** partitions may be traditional construction or reusable partition systems (e.g., movable, demountable) see [section A3.2.](#))


Standard Electrical Requirements

- For 10 m² offices, 3 standard electrical duplex receptacles per office (2 circuits)
- Any circuit can be common for a maximum of four offices
- 2 image/voice/data outlets (**Note:** client to provide actual connectors and jacks, typically RJ45 with multiple jacks.)
- Base building lighting (may be relocated) with 1 separate switch/light control and dual technology motion sensor

Standard Mechanical Requirements

- See mechanical requirements set out for Typical Office Layout—Associate Deputy Minister ([section B4.1](#))

Typical Washroom Millwork (elevation)—Minister and Deputy Minister



Summary

Area accommodates average requirements for washroom including built-in shower with standard glass shower door and frame assembly, hanging storage, vanity with basin and drawer storage, mirror and wall mounted lighting.

Backing to be provided in shower walls and around toilet to accommodate grab bars if required by future occupants.

Countertop and backsplash finishes to suit application and respect criteria outlined in [section A5.1](#). Mid-range quality fittings, hardware and accessories included as shown.

Standard Electrical Requirements


- 1 electrical duplex GFI (ground fault interrupter) receptacle

Meeting Room

30 m² (325 ft²)


Examples of Meeting Room Layouts

30 m² (325 ft²)



Meeting Room (reflected ceiling)

30 m² (325 ft²)



Summary

Meeting rooms accommodate a meeting table, chairs for 12 people and an audiovisual board. The room should allow for comfortable circulation space and room for a presenter to function comfortably at one end. The meeting room table should be mobile and comprised of smaller modular tables put together to maximize functionality.

Standard Finishes

- Floor—base building standard carpet (carpet tile or rolled goods)
- Walls—paint or unfinished to suit substrate

Standard Electrical Requirements


- 4 standard and 1 floor mounted electrical duplex receptacles (2 circuits) (*Note:* circuits may be common with other areas)
- 3 image/voice/data outlets; 1 only floor mounted (*Note:* client to provide actual connectors and jacks, typically RJ45 with multiple jacks.)
- Base building lighting with motion sensor
- Direct/indirect suspended luminaire(s) to suit meeting (table) function on a separate switch/light control and motion sensor
- Dimmable perimeter/accent lighting to support presentation function on a separate switch/light control and motion sensor

Standard Mechanical Requirements

- Dedicated thermostat control c/w dedicated terminal unit
- Supply and return air diffuser(s)/grille(s)
- Acoustically lined transfer duct for full height partitions (slab-to-underside-ceiling-with-plenum-barrier)
- Cooling capacity to meet demand
- Ventilation capacity to meet demand c/w CO₂ monitoring and controls
- Mechanical equipment and elements to be selected to support the room noise rating

B4.2 Support Spaces

Typical Kitchenette Millwork (elevation)—Ministerial and Deputy Ministerial Suites



Summary

Area accommodates average storage requirements, recycling centre and trash as well as a full size fridge and countertop appliances (appliances not included). Design allows for barrier-free access to sink and counter. Paper towel and soap dispensers provided.

All finishes to suit application and respect criteria outlined in [section A5.1](#).

Standard Electrical Requirements

- 2 standard dedicated circuit duplex receptacles (microwave and fridge)
- 2 standard split circuit duplex receptacles for other countertop appliances
- 1 separate switch/light control for under cabinet lighting

Standard Mechanical Requirements

- hot water, cold water, drain and vent piping for kitchen sink
- kitchen exhaust fan c/w on/off switch (exhaust to exterior if economical and feasible)
- supply air diffuser(s) and grilles(s)
- no return air to base building system

B5. Costing

B5.1 Cost Estimates

Project managers and project officers are requested to follow the format shown in [section A7.1: Fit-up Cost Estimate](#) when preparing their cost estimates for fit-up projects. This breakdown will help to determine those types of fit up elements that are more often associated with increased costs.



Section C: Quasi-judicial Accommodations



C1. Introduction

C1.1 General Information

Overview

The following section has been developed to address the special fit-up requirements of quasi-judicial accommodation as provided by PSPC in accordance with the *Accommodation Management Framework*. This section defines a “bundle of goods” that may be provided within the existing space allocation standards for quasi-judicial functions.

Quasi-judicial accommodations are based on the general administrative office space with some additional allowances. The most notable are the provision of: closed offices for Governor in Council (GIC) appointed members; a secure (public) reception area; additional hard walled support spaces; and dual circulation, as described under [sections C2.2](#) and [C3.1](#). These additional allowances provide quasi-judicial organizations with increased flexibility to customize their space to suit their particular program requirements.

In addition to the individual workspace and support space requirements of quasi-judicial accommodations, special purpose space (SPS) may be required. Although the very nature of SPS precludes any standardization, research indicates the following types are characteristic to quasi-judicial occupancies:

- hearing rooms, with or without translation, transcription/recording rooms;
- large centralized or regional case file rooms, where long periods of on-site retention are specifically required by law.

Refer to the *Guidelines for Special Purpose Space* for criteria used to determine SPS designations.

C1.2 Application

This section applies to quasi-judicial accommodations. Quasi-judicial accommodation is used by certain departments and agencies in support of a mandate to render decisions and actions that are legally binding, but not governed by judicial organizations, such as courts.

The functions of organizations that are quasi-judicial in nature may include investigation and review of practices, protocols and individuals (victims, offenders, witnesses, members of the public) related to quasi-judicial cases, hearings, enquires and/or complaints. These functions involve face-to-face contact with members of the public and are directly related to the mandates of the organizations as well as their capacity and legislative authority to deliver judgments or binding decisions.

These organizations may also have “Headquarters” or other operations that are general administrative in nature. Therefore, each location should be carefully assessed to first confirm the function and subsequently the appropriate category of space.

Key points of clarification when managing accommodation for quasi-judicial functions include:

- No single department is completely quasi-judicial in nature. Therefore, client departments are not universally categorized as being “quasi-judicial”, but rather as departments that require some quasi-judicial accommodations to execute their federal mandate;
- Quasi-judicial accommodations are not limited to particular buildings or regions, but rather to certain occupancies;
- Quasi-judicial accommodations are a type of general-purpose office space, although, as previously noted, quasi-judicial accommodations may also have SPS requirements; and
- Quasi-judicial accommodations differ from judicial space in that judicial space is reserved for courts that render legally binding decisions with authority found in Canadian criminal and civil code (e.g., Tax Court of Canada, Federal Court, Supreme Court).

Organizations that require space for the purpose of quasi-judicial functions, may include, but are not limited to: boards, tribunals, bureaus, commissions and authorities. Some examples of departments that use quasi-judicial accommodations include: Immigration and Refugee Board, Security Intelligence Review Committee, and the National Parole Board.

C2. Standards

C2.1 Fit-up Elements and Funding Accountabilities

The following chart identifies fit-up elements and funding accountabilities related to the special fit-up requirements for quasi-judicial accommodations. All standard fit-up elements not included in this chart are provided and funded in accordance with the general administrative office space standards as described in [section A](#).

PSPC is responsible for initial fit-up of the space based on the functional and operational requirements of the end user. Changes to existing offices during the term of the occupancy are funded by the department or agency as a tenant service.

A. Interior Construction

Elements	PSPC Funded	PSPC Funded in Non-reimbursing Occupancy	Other
1. Partition Walls			
(a) Offices for GIC appointees <ul style="list-style-type: none"> slab to underside of ceiling with insulation and plenum barriers (enhanced speech privacy). (<i>Note:</i> glazing treatments may be appropriate for increased light transfer and visual access but are not recommended when speech privacy is a priority.) 			Yes ¹
(b) Support spaces <ul style="list-style-type: none"> Public reception and waiting area—slab to underside of ceiling with insulation (standard speech privacy). Interview, counsel, break-out, discovery and similar rooms, client waiting areas—slab to underside of ceiling with insulation and plenum barriers (enhanced speech privacy). Employee washrooms (supported by a TRA based Security Design Brief)—slab to slab construction. 			Yes ¹
2. Doors and frames			
(a) Employee washrooms—doors provided with transfer grills.			Yes ¹
3. Door hardware			
(a) Employee washrooms—cylinder with thumb turn lock.			Yes ¹
4. Interior specialties			
(a) Cabinetry and millwork.			Yes ¹
(i) Service counters in reception area.			Yes ¹
(ii) Counter in employee washroom.			Yes ¹

B. Services

Elements	PSPC Funded	PSPC Funded in Non-reimbursing Occupancy	Other
1. Plumbing systems (a) Employee washrooms—fixtures and accessories for two-piece washroom to match base building quality.			Yes ¹

1. Client cost—**NOT** subject to the non-compliance approval process.

C2.2 Office and Support Space Allocations

This section describes standard provisions for some typical quasi-judicial accommodation and support space allocations.

These allocations are provided in addition to the space provided for general administrative office space identified in [section A](#). Together, they must be managed within the space allocation standards for quasi-judicial accommodation. Office and support spaces beyond those that can be accommodated within the standard quasi-judicial space allocation will be considered non-compliant and subject to the Approvals and Governance process outlined in [section A2](#).

Office Space

Closed Offices for Governor in Council (GIC) Appointees

Enclosed spaces are provided for GIC appointees. The office size may range from 10 m² for EX-1 positions and up to 14 m² for EX-2 positions to suit the priorities and typical levels of members within each organization. However, one size is applied consistently within each organization to allow for long-term flexibility as appointments change. Enclosed spaces are to be located on the interior where building conditions allow.

Part-time appointees must share offices, wherever possible—typically at a 3:1 or 2:1 ratio, as appropriate.

Support Space

In addition to the common support spaces outlined in [section A](#) and the *GCworkplace Design Guide* quasi-judicial operations typically require spaces to support their public-contact activities. It is expected that the type, quantity, size, configuration and placement of these spaces will vary with each occupancy and site condition.

The following are descriptions of some typical quasi-judicial support functions.

Reception and Waiting Areas

A secure reception area with seating is typically provided adjacent to the main entrance or elevator lobby as appropriate to provide the visibility and accessibility required by the particular operation.

These spaces are provided in support of hearing room functions. They are the main point of entry for claimants, appellants, their family, friends, counsel and others involved in the hearing process. They must accommodate a reception desk or counter, seating and coat storage as required by average client volumes and adequate

circulation space. In some cases, a security officer may be accommodated within or adjacent to the reception area to oversee activities and traffic flow.

Multi-floor occupancies are typically served by one large reception area.

Maximum area: to suit (within space allocation standards)

Floor finish: resilient, ceramic tile or base building standard carpet to suit operational and site conditions

Wall finish: paint and/or wall covering or unfinished to suit substrate

Lighting: base building

Counsel Rooms/Interview Rooms

See [section C4.1](#) for a drawing that illustrates the typical size and configuration of a counsel/interview room. These rooms may also be referred to as mediation or deliberation rooms and are intended for the use of claimants or appellants and their counsel prior to the start of a hearing. One or more of these rooms may be provided for a variety of similar functions that typically involve a one-on-one or two-on-one exchange or gathering and recording of information.

Maximum area: 14 m²

Floor finish: base building standard carpet

Wall finish: paint or unfinished to suit substrate

Lighting: base building with separate switching

Quasi-judicial Work Rooms

These rooms are provided for a variety of related functions e.g., breakout rooms, alternative dispute resolution rooms, case preparation rooms, case review rooms, tactical rooms and appointees' rooms. They should be sized to suit the particular capacity required, and fit up as meeting rooms.

Employee Washrooms

See [section C4.2](#) for drawings that illustrate the typical size and configuration for employee washrooms. A dedicated accessible two-piece washroom is provided where public access to base building washrooms present security concerns for the employees.

Maximum area: as required to meet CAN/CSA B651 *Accessible Design for the Built Environment*

Floor finish: ceramic tile

Wall finish: ceramic tile and paint or unfinished to suit substrate

Lighting: base building with separate switching

Waiting Rooms/Detention areas

These rooms may be required (based on a threat and risk assessment) to maintain control of detainees brought to attend a hearing. The detainees are held in these rooms for short periods of time prior to or following a hearing and during breaks. The size and type of detention area varies. It may consist of an individual holding room only or also require a security guard area and/or separate washroom.

Maximum area: to suit (within space allocation standards)

Floor finish: base building standard carpet

Wall finish: paint or unfinished to suit substrate

Lighting: base building with separate switching

C3. Planning

C3.1 Planning and Design

The planning and design principles described in [section A1](#) and the *GCworkplace Design Guide* are to be applied, to the greatest extent possible, to quasi-judicial accommodation. Opportunities for collocation with similar organizations should be considered and encouraged, where appropriate.

Security Requirements

Security requirements are of particular importance in the context of quasi-judicial accommodation. They must be based on a threat and risk assessment, highlighted at the project definition phase, well defined during the project identification stage, and signed off by the departmental security officer. This will ensure the acquisition of appropriate space and the development of optimal layouts.

Dual circulation is a security based requirement common to many quasi-judicial accommodations. Additional entry points and corridors may be required for some quasi-judicial occupancies to separate public (e.g., hearing and mediation rooms) from private (employee) areas and, in some cases, to provide alternative passage for different client groups (e.g., victims and offenders, witnesses and accused). For similar reasons, some quasi-judicial hearing rooms require two means of entry/exit. The space allocation standards should, in most cases, accommodate dual circulation requirements.


The following sample floor plans illustrate these planning considerations as applied to the standard allocations for quasi-judicial accommodation and support space.

C4. Sample Detail Drawings

C4.1 Support Space


GIC Appointee Enclosed Offices

Examples of Enclosed Office Layouts
10 m² (100 ft²)



Note: This example provides for fully accessible office.

Examples of Enclosed Office Layouts
14 m² (150 ft²)



Note: This example provides for fully accessible office.

Summary

Offices accommodate average requirements for work surfaces, shelving, storage and filing. Furniture can be freestanding or hung from reusable partition systems.

Note: Furniture layouts are provided as examples and may vary.

Standard Finishes

- Floor—base building standard carpet (carpet tile or rolled goods)
- Walls—paint or unfinished to suit substrate (*Note:* partitions may be traditional construction or reusable partition systems (e.g., movable, demountable) see [section A3.2.](#))

Standard Electrical Requirements

- For 10 m² offices, 3 standard electrical duplex receptacles per office (2 circuits)
- For 14 m² offices, 3 standard electrical duplex receptacles per office (2 circuits)
- Any circuit can be common for a maximum of four offices
- 2 image/voice/data outlets (*Note:* client to provide actual connectors and jacks, typically RJ45 with multiple jacks.)
- Base building lighting (may be relocated) with 1 separate switch/light control and dual technology motion sensor

Standard Mechanical Requirements


Interior zone:

- One (1) terminal unit with dedicated thermostat for every 2 offices
- Supply and return air diffuser(s)/grille(s)
- Acoustically lined transfer duct for full height partitions (slab to slab or slab-to-underside-ceiling-with-plenum-barrier)

Perimeter zone (where required):

- Dedicated thermostat with control of terminal units and perimeter system
- Supply and return air diffuser(s)/grille(s)
- Acoustically lined transfer duct for full height partitions (slab to slab or slab-to-underside-ceiling-with-plenum-barrier)
- Mechanical equipment and elements to be selected to support the room noise rating.

Typical Counsel/Interview Room Layout



Summary

Space accommodates a small table and seating for 2 to 4. Configurations may vary.


Standard Electrical Requirements

- 2 standard electrical duplex receptacles
- 1 image/voice/data outlet (**Note:** client to provide actual connectors and jacks, typically RJ45 with multiple jacks.)
- separate switch/light controls as required

Standard Mechanical Requirements

- individual thermostat control c/w dedicated terminal units (VAV box, fan coil unit)
- supply and return air diffuser(s)/grille(s)
- transfer return air fan c/w on/off switch for full height partitions

C4.2 Typical Employee Washroom



Summary

Area accommodates average requirements for a 2-piece washroom (basin and toilet). Accessories to include mirror, dispensers for paper towel, soap and toilet paper, and disposal receptacle(s). Grab bars to be provided as required to meet current accessibility standards. Fixtures, fittings and accessories are to match base building standard. Basin vanity or separate counter provided.

Standard Electrical Requirements

- no power provided

Standard Mechanical Requirements

- supply and return air diffuser(s)/grille(s)
- transfer return air fan c/w on/off switch for full height partitions
- exhaust c/w exhaust air grille
- water closet and basin c/w sanitary, vent, hot and cold water and insulation
- noise abatement as required
- transfer return air fan c/w on/off switch for full height partitions

C5. Costing

C5.1 Cost Estimates

Project managers and project officers are requested to follow the format shown in [section A7.1: Fit-up Cost Estimate](#) when preparing their cost estimates for fit-up projects. This breakdown will help to determine those types of fit-up elements that are more often associated with increased costs.



Section D: Call/Contact Centres Accommodations



D1. Introduction

D1.1 General Information

Overview

This section has been developed to address the special fit-up requirements of call/contact centre accommodation as provided by PSPC in accordance with the *Accommodation Management Framework*. It defines the quantity and quality (the “bundle of goods”) of fit-up elements that may be provided within the existing space allocation standards for general administrative office space functions.

Call/contact centres are based on the generic approach of the standards for general administrative office space in [section A](#) with some additional allowances to meet the special operational requirements of call/contact centres. The most notable are the provision of additional hard walled support spaces, and the provision of lunchroom/lounges/kitchenettes with lounge space, doors, the allowance for high-density acoustic ceiling tiles, direct and indirect lighting and the allowance for the partial use of glazed furniture panels.

These allowances are described in [section D2.2: Office and Support Space Allocations](#) and [section D3.1: Planning and Design](#), and provide increased flexibility to customize call/contact centre space to suit particular program requirements.

D1.2 Application

This section applies to federal call/contact centre office space. Call/contact centre office space is used by certain departments and agencies in support of a mandate to respond to a high volume of enquiries regarding their programs and services.

The functions of organizations that are call/contact centres include: responding to the public and public servants about specific government initiatives or ongoing programs and services; and processing requests for services or information. These functions primarily involve telephone contact with members of the public and employees and services may also be provided until late in the evening and on weekends. Training is ongoing due to a high turnover of staff and the requirement to update staff about new programs and program changes.

Key points of clarification when managing accommodation for call/contact centres include:

- Most departments and agencies have some type of public contact function. Call/contact centres refer to specific organizations within departments whose mandate is to respond to a high volume of calls on programs and services. Therefore, client departments are not universally categorized as being “call/contact centres”, but rather as departments that require some call/contact centre office space to execute their federal mandate.
- Call/contact centre office space is not limited to particular buildings or regions, but rather to certain occupancies.
- Call/contact centres are also characterized by the high degree of specialized technology required to operate their activities.
- Call/contact centre office space is a type of general-purpose office space, although, call/contact centre offices may also have unique space requirements.

D2. Standards

D2.1 Fit-up Elements and Funding Accountabilities

The following chart identifies fit-up elements and funding accountabilities related to the special fit-up requirements for call/contact centre office space. All standard fit-up elements not included in this chart are provided and funded in accordance with the general administrative office space. PSPC is responsible for initial fit-up of the space based on the functional and operational requirements of the end user. Changes to existing offices during the term of the occupancy are funded by the department or agency as a tenant service.

A. Interior Construction

Elements	PSPC Funded	PSPC Funded in Non-reimbursing Occupancy	Other
1. Partition Walls			
(a) Public Reception and Waiting Area slab to underside of ceiling with insulation (standard speech privacy).			Yes ¹
(b) Coaching/Interview rooms-slab to underside of ceiling with insulation (enhanced speech privacy).			Yes ¹

1. Client cost—**NOT** subject to the non-compliance approval process. Security requirements must be based on a Threat and Risk Assessment (TRA), Security Design Brief or Security Site Brief, signed off by the Departmental Security Office (DSO) and properly documented on the project file.

B. Interior Construction

Elements	PSPC Funded	PSPC Funded in Non-reimbursing Occupancy	Other
1. Doors and frames			
(a) Kitchenettes			
(i) Flush, solid core wood door, standard height and width (6'-8" or 7'-0" × 3'-0" wood veneer or paint finish w. door sweep).		Yes	
2. Interior Finishes			
(a) Office and Support Areas			
(i) Ceiling Finishes			Yes ¹
• High density acoustic tile.			
(ii) Floor Finishes			Yes ¹
• Raised floor systems and ramps, epoxy or other special treatments to suit client requirements.			

1. Client cost—**NOT** subject to the non-compliance approval process. Security requirements must be based on a Threat and Risk Assessment (TRA), Security Design Brief or Security Site Brief, signed off by the Departmental Security Office (DSO) and properly documented on the project file.

C. Furnishings and Equipment

Elements	PSPC Funded	PSPC Funded in Non-reimbursing Occupancy	Other
1. Furniture and Equipment			
(a) Furniture and Equipment			
(i) Panels/screens complete with service poles (midrange quality element system, non-acoustic class with power/data capability).		Yes	
(ii) Panels/screens with partial glazing. See section D2.3.		Yes	

D. Services

Elements	PSPC Funded	PSPC Funded in Non-reimbursing Occupancy	Other
1. Plumbing Systems			
(a) Dishwasher, energy efficient, commercial style			Yes ¹
2. Electrical Systems			
(a) Lighting			
(i) Modifications to base building fixtures to include direct and indirect lighting fixtures.			Yes ¹
(ii) Sound masking		Yes	

1. Client cost—**NOT** subject to the non-compliance approval process. Security requirements must be based on a Threat and Risk Assessment (TRA), Security Design Brief or Security Site Brief, signed off by the Departmental Security Office (DSO) and properly documented on the project file.

D2.2 Office and Support Space Allocations

This section describes standard provisions for typical call/contact centre office and support space allocations. These allocations must be managed within the *Space Allocation Standards* for general-purpose office space. Office and support spaces beyond those that can be accommodated within the standard call/contact centre office space allocation will be considered non-compliant and subject to the Approvals and Governance Process outlined in [section A2](#).

Office Space

Open Workstations

A single floor, open plan, is the preferred type of office space for call/contact centres. Open workstations, adaptable to team or individual configurations, are assigned to all personnel in open plan call/contact centre environments. Workstation sizes vary according to specific site conditions and functional requirements of the space. As call/contact centres require a high number of employees to carry out their functions, smaller workstations are typical. Call/contact centre employees are typically required to be at their workstations for 90% of the day, and equipment may include two monitors. Workstation sizes will vary to suit the needs of the organization but will not exceed 3.7 m² for agents. Workstations for supervisors, quality assurance, information technology, phone traffic control and administrative staff will not exceed 5.9 m². Part time/shift workers are to share workstations where possible. Possible workstation configurations are outlined in [section D4.1](#).

Support Space

Call/contact centres require common support spaces outlined in [section A](#) and the *GCworkplace Design Guide*, however the allocation of support space differs due to the higher number of employees and type of work. Call/contact centres typically require spaces to support extensive training activities and provide adequate kitchen, eating and lounge areas for staff working on various shifts with short meal periods. As workstations may be shared, and storage within workstations is limited, locker rooms are required. Due to the high number of employees per supervisor and the high level of turnover of staff, coaching rooms are required to provide feedback to employees and staffing reception areas are required to support recruitment. The type, quantity, size, configuration and placement of these spaces will vary with each occupancy and site condition.

The following allocations are provided for call/contact centre support space:

Meeting Rooms

Meeting rooms provide enclosed spaces for meetings, presentations, collaborative work and recruitment drives. Retractable walls between training and meeting rooms are recommended to provide additional flexibility. The following table summarizes provisions for meeting rooms for various population ranges.

FTEs per call/contact centre	Size of Meeting Room			Total
	Small 30 m ² seats 12	Medium 50 m ² seats 18	Large 60 m ² seats 20+	
25–50	–	1	–	1
51–75	2	–	–	2
76–100	2	1	–	3
101–125	1	2	–	3
126–150	1	1	1	3
151–175	–	2	1	3
176–200	–	1	2	3

Maximum area: to suit requirements (within space allocation standards)

Floor finish: base building standard carpet

Wall finish: paint and/or unfinished to suit substrate

Lighting: base building

Training Rooms

Due to turnover of staff and frequent changes in programs and services, training is an on-going requirement for call/contact centres. As some call/contact centres experience seasonal fluctuations, areas that can be quickly converted from training rooms to workstations are desired. Retractable walls between training and meeting rooms are recommended to provide additional flexibility. Freestanding, mobile furnishings are recommended. Raised flooring may facilitate conversion of training rooms.

Allocations for Training Rooms

FTEs per call/ contact centre	Number of Training Rooms	Size of Training Room
25–50	1	30 m ²
51–125	1	40 m ²
126–225	2	68.8 m ²
Over 225	2	85 m ²

Maximum area: to suit requirements (within space allocation standards)

Floor finish: base building standard carpet

Wall finish: paint and/or unfinished to suit substrate

Lighting: base building

A sample layout of a call/contact centre training room is included in [section D4.2](#).

Coaching/Interview Rooms

Most call/contact centre supervisors are responsible for 10–15 agents and each agent is assessed several times per month. Coaching/interview rooms provide space for one-on-one coaching and to address particular employee needs. Coaching rooms may also be used to conduct interviews with potential staff. Allocations for interview rooms are as follows:

FTEs per call/ contact centre	Number of 10 m ² spaces
25–50	1
51–75	2
76–100	3
101–150	4
151–200	5

Maximum area: 10.0 m²

Space accommodates typical office desking, storage and seating for four people. Data lines are required to facilitate coaching on systems. Configurations may vary. Space must meet CAN/CSA B651-12 *Accessible Design for the Built Environment*.

Floor finish: base building standard carpet

Wall finish: paint or unfinished to suit substrate

Lighting: base building with separate switching

A typical layout of a coaching/interview room is included in [section D4.2](#).

Lunchroom/Lounge/Kitchenette

Due to the number of staff, extended hours and short lunch periods, lunchroom facilities must be adequate to accommodate both food preparation, vending machines, and an eating area. Counter space must be sufficient to accommodate multiple microwaves, coffee makers and other equipment. Lounge space may be provided to allow for collaborative spaces for employees to relax and socialize, as personal interaction is typically not permitted in the call/contact centre service areas. Lunchroom areas may be combined to create larger areas depending on site conditions.

FTEs per call/ contact centre	# and size of areas	Lin. mm of counter and upper/lower stor- age in each area
25–50	one 40–60 m ²	4,800 (16')
51–75	two 40–60 m ²	4,800 (16')
76–100	two 40–60 m ²	4,800 (16')
101–150	two 40–60 m ²	4,800 (16')
151–200	three 40–60 m ²	4,800 (16')

See [section D4.2](#) for a drawing that illustrates the typical provisions for a lunchroom/lounge/kitchenette including descriptions of standard finishes and mechanical and electrical provisions.

Entrance doors are permitted on call/contact centre kitchenettes in order to reduce noise transfer to the call/contact centre work area.

Locker Areas

Due to the large number of staff, size of workstation and the fact that workstations may be shared, locker areas for storage of personal items are required.

Allocation of locker rooms is as follows:

FTEs per call/ contact centre	Number of 14 m ² spaces
25–50	1
51–125	2
126–200	3

See [section D4.2](#) for a typical locker area layout including descriptions of standard finishes and mechanical and electrical provisions. Locker areas would ideally be located near the entrance and kitchen areas.

Shared Equipment Areas

Shared equipment areas may be open or semi-enclosed but entrance doors are not provided. The following summarizes provisions for shared equipment areas for various population ranges:

FTEs per call/ contact centre	# and size of areas	Lin. mm of counter and upper/lower stor- age in each area
25–50	one 10–14 m ²	2,400 (8')
51–100	two 10–14 m ²	2,400 (8')
101–150	three 10–14 m ²	2,400 (8')
151–200	four 10–14 m ²	2,400 (8')

See [section D4.1](#) for a drawing that illustrates the typical provisions for a shared equipment area including descriptions of standard finishes and mechanical and electrical provisions.

Quiet Rooms

These are spaces intended for the shared use of personnel who normally occupy open workstations. They provide an enhanced acoustical environment for a private telephone call, to support work requiring a high level of concentration, or similar functions. The following table summarizes provisions for quiet rooms for various population ranges:

FTEs per call/ contact centre	Number of 5 m ² spaces
25–50	1
51–100	2
101–150	3
151–175	4
176–200	5

See [section D4.1](#) for a drawing that illustrates the typical provisions for quiet rooms including descriptions of standard finishes and mechanical and electrical provisions.

Reception and Waiting Areas

A reception area with seating is typically provided adjacent to the main entrance or elevator lobby.

These spaces are provided for the public attending recruitment drives or interviews. These spaces accommodate, seating and coat storage as required by average volumes and adequate circulation space.

Multi-floor occupancies are typically served by one large reception area.

Maximum area: to suit (within overall space allocation standards)

Floor finish: resilient, ceramic tile or base building standard carpet to suit operational and site conditions

Wall finish: paint or unfinished to suit substrate

Lighting: base building

Other Support Spaces

Call/contact centres may also have requirements for specialized telecommunications equipment. Dedicated equipment or telecommunications rooms will be provided to suit as required within overall space allocation limits.

D2.3 Standards for Furniture Panels/Screens

Panels are used to provide visual privacy in open-plan office environments. Panel height, classification and finish are described below. The nature of call/contact centre work requires that there be visual contact between team members and with team leaders and managers. At the same time, there is a need to maintain as much acoustic privacy as possible.

For call/contact centres glazed panels with a maximum height of 38 cm (15”) are allowed as required for visual contact within the call/contact centre as long as the overall maximum height is not exceeded. Fully glazed panels and sliding panels do **NOT** comply with the standards.

Clients may also purchase accessory items such as mobile whiteboards or add-on translucent or mesh dividers/toppers to create visual privacy with lower screen heights (maximum screen height cannot be exceeded).

A sample layout of call/contact centre workstations is found in [section D4.1: Typical Workstation Configurations](#).

Freestanding furniture with height adjustable work surfaces is recommended. The ergonomic features of chairs and keyboard trays must be carefully assessed when selecting furniture.

Panels shall meet the *Purchase Description for Workspaces* published by the Acquisitions Branch. The following additional restrictions apply to panel height, classification and finish options. See [section A5.1](#) and the *GCworkplace Design Guide* for planning and workplace design principles.

Height

The maximum height for panels is 1.37 m (54"). Lower panels allow for increased light distribution and airflow and provide seated privacy. Panels that exceed 1.37 m (54") are considered non-compliant.

Classification

Panels shall be non-acoustic class. High performance acoustical panels do **NOT** comply with the Standards.

Finish

Panel finish can be fabric upholstered, metal, veneers (wood) and plastic laminate as long as there is no cost differential. All materials shall be manufactured from recycled or other environmentally appropriate materials that respect the selection criteria identified in [section A5](#), unless reusing or matching existing panels. Glass panels with a maximum height of 610 mm (24") are allowed but the overall maximum screen height cannot be exceeded. Fully glazed panels and sliding panels do **NOT** comply with the Standards.

D3. Planning

D3.1 Planning and Design

The planning and design principles described in [section A1](#) and the *GCworkplace Design Guide* are to be applied, to the greatest extent possible, to call/contact centre accommodation. These principles provide the flexibility to meet the requirements of an organization.

Workstation Layout

A positive work environment is required to attract and retain employees to call/contact centre positions. As call/contact centre agents are required to be at their workstations for the majority of the day, access to natural light and exterior views, as well as visual contact with colleagues and supervisors is critical. Workstations with lower screens and some glazing are preferred. Ergonomic, height adjustable work surfaces and ergonomic chairs and keyboards are recommended. Acoustic control can be improved by arranging agent and supervisor workstations so cross transference of noise is minimized, and by including a sound masking system. Agent workstations should have easy access to water fountains and washrooms to minimize time away from the workstation.

Supervisor workstations should be within visual contact of call/contact centre agents. Supervisors should have easy access to interview rooms to provide feedback and private instruction to agents.

Meeting and Training Rooms

Freestanding, mobile furnishings are preferable for meeting and training rooms to provide for maximum flexibility. Meeting and training rooms should be designed to have the flexibility to use as agent stations during peak periods.

Retractable partitions may be considered for use within meeting and training rooms.

Locker Rooms and Shared Equipment Areas

Staff locker rooms should be located in open areas, ideally close to the entry and the kitchenette. Shared equipment areas should be located as far from agent workstations as possible.

The following sample floor plan illustrates these planning considerations as applied to the standard allocations for call/contact centre office and support space.

D3.2 Sample Plan

Planning Notes and Legend for PL1 Diagram

General Information

Total usable space: 1,829 m² (19,687 ft²)

Total FTEs: 175 (170 workstations, 5 closed offices)

Space per FTE: 11 m²/FTE (118.40 ft²/FTE)

Total open areas: 1,380 m² (14,854 ft²)

Total enclosed areas: 449 m² (4,833 ft²)

Open/closed ratio: 75%/25%


List of Support Spaces

- 3 meeting rooms
- 3 shared equipment/mail area
- 5 quiet rooms
- 1 kitchenette with lounge
- 1 printer/fax/file areas

List of Contact Centre Support Spaces




- 5 coaching rooms
- 1 reception area
- 3 locker area
- 3 training rooms

PL1 Diagram




D4. Sample Detail Drawings

D4.1 Typical Workstation Configurations



D4.2 Support Space

Typical Training Room



Summary

Space accommodates typical training tables and seating. Configurations may vary.


Standard Finishes

- Floor—base building carpet
- Walls—paint or unfinished to suit substrate

Standard Electrical Requirements

- standard electrical duplex receptacles to suit equipment needs
- image/voice/data outlet to suit equipment needs (**Note:** client to provide actual connectors and jacks, typically RJ45 with multiple jacks.)
- separate switch/light controls as required

Typical Coaching/Interview Room Layout



Summary

Space accommodates a small table and seating for 2 to 4. Configurations may vary.

Standard Finishes

- Floor—base building carpet
- Walls—paint or unfinished to suit substrate


Standard Electrical Requirements

- 2 standard electrical duplex receptacles
- 1 image/voice/data outlet (**Note:** client to provide actual connectors and jacks, typically RJ45 with multiple jacks.)
- separate switch/light controls as required

Standard Mechanical Requirements

- Individual thermostat control c/w dedicated terminal units (VAV box, fan coil unit)
- Supply and return air diffuser(s)/grille(s)
- Transfer return air fan c/w on/off switch for full height partitions

Typical Lunchroom/Lounge/Kitchenette



Summary

Area accommodates tables, seating, average storage requirements, recycling centre and trash as well as full size fridge(s) and countertop appliances (appliances not included). Design allows for barrier-free access to sink. Millwork for upper and lower cabinets is provided.

Standard Finishes

- Floor—resilient sheet or tile
- Walls—paint or unfinished to suit substrate
- Millwork—See [section A5.1: Finishes](#)


Standard Electrical Requirements

- 2 standard dedicated circuit duplex receptacles (microwave and fridge)
- 2 standard split circuit duplex receptacles for other countertop appliances (additional receptacle may be provided if required)
- Base building lighting with motion sensor
- 1 separate switch/light control for under cabinet lighting
- 1 receptacle for dishwasher if required

Standard Mechanical Requirements

- Hot water, cold water, drain and vent piping for kitchen sink
- Kitchen exhaust fan c/w on/off switch (exhaust to exterior if economical and feasible)
- Supply air diffuser(s) and grilles(s)
- No return air to base building system

Typical Locker Room



Summary

Space accommodates lockers to suit size of room. Configurations may vary.

Standard Finishes

- Floor—resilient sheet or tile
- Walls—paint or unfinished to suit substrate

Standard Electrical Requirements


- 2 standard electrical duplex receptacles
- Base building lighting with motion sensor

Standard Mechanical Requirements

- Supply and return air diffuser(s)/grille(s)

Shared Equipment Area

Example of Shared Equipment Area Elevation



Summary

Area accommodates average requirements for storage, photocopier, printer and fax. Millwork for upper and lower cabinets is provided and can be a freestanding manufactured solution if there is no cost differential. See [section A3.2: Fit-up Elements and Funding Accountabilities](#) for further details. Storage cabinet and equipment not included.

Standard Finishes

- Floor—resilient sheet or tile or base building standard carpet
- Walls—paint or unfinished to suit substrate
- Millwork—See [section A5.1: Finishes](#)

Standard Electrical Requirements

- 4 electrical duplex receptacles to meet specific equipment needs
- 3 image/voice/data outlets (*Note:* client to provide actual connectors and jacks, typically RJ45 with multiple jacks.)


Standard Mechanical Requirements

- Exhaust for photocopier to exterior
- Supply air diffuser(s) and grilles(s)

Quiet Room

5 m² (approximately 54 ft²)

Examples of Quiet Room Layout
5 m² (54 ft²)



Summary

Quiet rooms accommodate freestanding work surfaces suitable for a computer and telephone and should be barrier free.

Standard Finishes

- Floor—base building standard carpet (carpet tile or rolled goods)
- Walls—base paint or unfinished to suit substrate

Standard Electrical Requirements

- 2 standard electrical duplex receptacles
- 1 image/voice/data outlet (**Note:** client to provide actual connectors and jacks, typically RJ45 with multiple jacks.)
- Base building lighting (may be relocated) with 1 separate switch/light control (task lighting recommended) and motion sensor

Standard Mechanical Requirements

- Supply and return air diffuser(s)/grille(s)

D5. Costing

D5.1 Cost Estimates

Project managers and project officers are requested to follow the format shown in [section A7.1: Fit-up Cost Estimate](#) when preparing their cost estimates for fit-up projects. This breakdown will help to determine those types of fit-up elements that are more often associated with increased costs.



Glossary



Glossary

Accommodation and Real Property Services Program

PSPC provides federal departments and agencies with affordable office and common use accommodation that supports the delivery of their programs and services. The department acts as steward for various public works such as buildings, bridges and dams, and national treasures such as the Parliamentary Precinct and other heritage assets across Canada. PSPC also provides other federal departments, agencies, and the Parliament of Canada with responsive and cost-effective real property services.

The Federal Accommodation sub-program provides for the accommodation needs of federal organizations by providing and maintaining a cost effective portfolio of office facilities, common use assets and special properties (predominantly conference and training facilities). This sub-program is composed of two primary activities: the provision, on an obligatory basis, of general-purpose accommodation and common use space to support the delivery of government programs; and optimization of real property investments in direct support of the provision of accommodation.

The Federal Holdings sub-program includes a diverse portfolio of federal facilities and activities under the purview of the Minister of PSPC that are grouped for reporting purposes: the stewardship and management of major engineering assets and wharves, as well as the development of strategies for their divestiture; the administration, capital management and leasing services for residential housing units in the Northwest Territories and Nunavut to support the delivery of federal government programs; appraisals for all acquisitions, dispositions and transfers of real estate, as well as the maintenance of related guidelines and policies; and, the authoritative interpretation of expropriation legislation and regulations and the implementation of the expropriation process on behalf of the federal government.

Activity-based Work/Activity-based Workplace

Activity-based work is undertaken in a workplace in which individual employees are not assigned to a particular workstation. This type of work environment is known as the activity-based workplace (ABW). The workspace is configured to provide employees with access to a variety of tools and resources within various work points allowing them to conduct specific tasks including learning, focusing, collaborating, socializing, etc., over the course of the workday. In an ABW employees may move freely between work points as needed. The ABW features modern technology in support of mobile, collaborative, independent and remote work. The ABW design is based on an assessment of the activity requirements of clients' and their employees' (front end planning process) in collaboration with PSPC.

Additional Operational Space (AOS)

Space that exceeds the *Space Allocation Standards* and is considered non-typical office space which is not supported as Special Purpose Space, and is not compliant with the *Government of Canada Workplace Fit-up Standards* and *GCworkplace Design Guide*. When the additional space requirements exceed the Space Envelope, the Fit-up Cost, ongoing rent and maintenance and any related additional building services are 100% funded by the client. Additional Operational Space requirements should be validated by Accommodation Manager.

Base Building

The building shell including finished floors, structure, exterior envelope, interior core and demising walls, finished ceilings complete with lighting, and other building systems consistent with the designed function and planned general use of the building. In the case of office accommodation, for example, the base building would include exterior window coverings and primary identification signage.

BMP (Building Management Plan)

The BMP is a facility-specific annually costed work plan. BMPs are developed consistent with Asset Management Plans (AMPs) and Community-based Investment Strategies (CBIS). The BMP will normally contain information on costs and revenues, trends, levels of service and planned projects. The BMP is a planning tool for initial allocation. Source: *Asset Management Plan Policy*.

Circulation Space

Space allowed for movement of personnel between workstations. It includes the space for access to support space and building services.

Cyclical Maintenance

Repair or replacement of standard base building and fit-up elements at the end of their useful life, on a cyclical basis (i.e. during fit-up/cyclical refit).

Expansion

Increase to the total space in a client department's inventory to accommodate program growth.

Expansion Control Framework (ECF)

Expansion space for non-reimbursing client departments that is beyond their space envelope limit and, therefore, is funded by client departments.

Fit-up for Initial Occupancy

The preparation of accommodation for initial federal occupancy in accordance with the *Government of Canada Workplace Fit-up Standards*. This fit-up may include alterations or improvements to the base building and/or base building systems, including demolition. A list of fit-up items that PSPC provides for initial occupancy is included in [section A3.2: Fit-up Elements and Funding Accountabilities](#).

Fit-up Rates

PSPC establishes fit-up rates for general purpose office space in major urban centres across the country. The rates are based on the cost of all standard fit-up elements. They are updated annually and are to be used as a budgeting mechanism when preparing cost estimates for fit-up projects for general administrative, public contact and quasi-judicial office space, and as a funding limit for fit-up projects for ministerial and deputy head accommodation. (See [section A6.1: Fit-up Rates](#).)

Floor Plate

The size and shape of the floor of a particular building.

Forced Move by PSPC

A PSPC initiated move required prior to the termination of an existing occupancy.

Functional Program

A detailed statement of the accommodation requirements of a client department or agency in relation to a specific fit-up or tenant service project. It supports the space allocation and fit-up standards by describing any qualitative and quantitative gaps between the standards and what is needed by a department or agency to perform its activities efficiently, effectively and safely. Requirements that do not comply with the standards are highlighted in the functional program and reconciled or addressed as non-compliant. A gap analysis identifies the differences between the stated requirements and fit-up standards. The data collected informs both the investment analysis and the planning and design process.

The scope of work of a functional program may include:

- Verification of project requirements;
- Project schedule;
- Risk management;
- Implementation strategies;
- Sustainability requirements;
- Workstation requirements;
- Support space requirements;
- Special purpose space requirements;
- Planning alternatives;
- Communication/data requirements;
- Security requirements;
- Proximity/adjacencies requirements;
- Detailed functional space equation;
- Scheduling requirements;
- Class “D” and “C” cost estimate;
- Schematic design;
- Vertical/horizontal zoning; and
- Other special requirements.

Functional programs are funded by PSPC when required for fit-up projects of non-reimbursing occupancies. Functional programs are funded by client departments when required for fit-up projects of reimbursing occupancies or for tenant service projects.

General Administrative Offices

Offices that accommodate general office functions and activities that do not require special security or other special features. General administrative offices do not have high interface with the public. These offices comprise the majority of PSPC office space occupied by client departments and agencies.

Heating, Ventilation and Air Conditioning (HVAC) Systems

Mechanical systems that supply or remove heat, supply or remove humidity, and supply outdoor air as required.

Kiosk

Small structure for display or dissemination of information.

Major Renovation

Work undertaken to correct or delay physical or functional obsolescence and/or to extend the useful or economic life of a building. Included are improvements to the building’s structure or systems, such as HVAC, lighting, elevators, sprinkler systems.

Occupancy Instrument (OI)

A formal agreement between a department or agency and PSPC concerning occupancy in a particular asset. It records the rentable and usable areas, the civic address and the planned general use of the particular parcel of accommodation that is subject to the agreement. It also records the terms and conditions that govern the provision and occupancy of the accommodation, as well as charges for accommodation and agreed upon services.

Office Space

Includes office/workstation areas, general support space and circulation for all four generic office types.

Public Contact Offices

Offices accommodating functions that provide face-to-face services to the public. Functions and operations may include, but are not limited to:

- inquiries from walk-in customers;
- training/testing/meetings; and
- application/form processing.

Purchase Order (PO) or Local Purchase Order (LPO)

A purchaser's written offer to a supplier, formally stating all terms and conditions of a proposed transaction.

Quasi-judicial Accommodations

Offices that accommodate adjudicative or legislative functions. They often require confidentiality or enhanced security and are used by organizations that interpret and administer legislation and regulations, conduct inquiries and hearings and/or perform adjudication functions on complaints, appeals and claims. Functions and operations may include, but are not limited to:

- management: adjudicative body operates separately from the administrative unit which provides service to the adjudicative body;
- meetings: conducted on a scheduled basis with internal staff and members of the public; and
- secure and confidential courtroom/hearing room space; physical protection of staff could be required.

Refit

The alteration of space previously occupied, to meet the requirements of a different federal organization in accordance with the *Government of Canada Workplace Fit-up Standards* (space assignment) **AND** the alteration of existing space because the fit-up elements have reached the end of their useful life. The scope of the fit-up for reuse is determined by taking into consideration the life cycle approach, the functional requirements of the new client, existing conditions of the previously occupied space, and the duration of the new occupancy.

Renewal

Renewal of an occupancy instrument or lease agreement at the end of its term to accommodate a client department's continuing requirement for space at the same location. The decision to renew an occupancy instrument or lease is based on an investment analysis. The new occupancy instrument or lease agreement may be for the same or a reduced amount of space. A renewal may also be combined with a client department's requirement for expansion.

Rentable Area

The space used to calculate rental payments. Rentable areas include usable areas and areas such as lobbies, wash-rooms and electrical rooms. Stairways, entrances and elevators or duct shafts are not included in rental areas. Under review.

Replacement

Transfer of existing space in a client department's inventory to a new location at the end of an occupancy instrument. The decision to replace existing space is based on an investment analysis. The relocation may be to new or existing space in the PSPC inventory.

Secure Administrative Offices

Offices accommodating activities which require enhanced levels of security. Functions and operations may include, but are not limited to:

- the review and storage of sensitive files; and
- little or no public contact.

Space Envelope

The total amount of rentable square metres departments can occupy by fiscal year based on authorities received by PSPC to provide accommodation in accordance with standards, policies and guidelines.

Space Optimization

An accommodation project to maximize the use of a finite quantity of space in an existing facility in accordance with the *Government of Canada Workplace Fit-up Standards*; thus reducing the space utilization rate per FTE. This results in densification in an effort to reduce current inventory levels and/or expansion avoidance and may take place either at the end of an OI or during an occupancy to accommodate additional FTEs as a result of a program expansion.

Special Purpose Space (SPS)

Additional, non-standard areas required by a client department to accommodate specific activities that are unique and essential to departmental programs.

Examples of special purpose spaces include, but are not limited to:

- laboratories, health units or clinics;
- meeting or training complexes which serve outside groups;
- interview rooms;
- inspection rooms;
- processing space;
- departmental libraries (e.g., Department of Justice libraries);
- gymnasiums, warehouses (e.g., PSPC's Seized Property Management Directorate warehouse space);
- very large file or storage areas other than allowed by the *Government of Canada Workplace Fit-up Standards* (e.g., Canada Revenue Agency (CRA) tax return file storage, Library and Archives storage);
- trade shops;
- large mailrooms (e.g., CRA's mailroom);
- computer training rooms;
- cash offices or similar spaces requiring special service and security features; and
- hearing rooms.

Specific Service Agreement (SSA)

An internal PSPC contract between one of the service branches and another government unit. It describes the work to be done, the schedule and the cost of the work.

Support Space

Spaces for office support functions not included in the workstation, or circulation space but necessary for office operation. Support space includes meeting rooms, quiet rooms, collaborative areas, kitchenettes, shared equipment areas, printer stations, reception/waiting areas, and other areas as described in [section A](#) and the *GCworkplace Design Guide*.

Swing Space

Temporary office space used to accommodate client departments while their long term office space is under renovations or until new office space is available. Minimal fit-up is required for swing space.

Task Lighting

Lighting oriented to or located at a task position is generally called task lighting. Task lights located at the task area are usually used in conjunction with ambient or general lighting and are client funded.

Tenant Services

Alterations to existing accommodation requested and funded by a client and carried out during the term of an occupancy.

Usable Area

Office floor area available to the tenant. Columns and such are not included in usable area.

Work authorization

Written order providing authorization to a contractor to proceed with the performance of a contract.

Workplace 2.0 (for historical reference)

This design concept was initially the basis for the framework for a modernized fit-up and served as the baseline standard for workplace modernization. Within this concept, workstations were fixed and typically assigned, with a prescribed number of support spaces and collaborative areas based on the number of employees in a given workplace. The use of modern technology, such as wireless connectivity and notebook computers were client funded options that were crucial to the success of the design.

Workpoint

The location(s) within the activity-based workplace from which an employee chooses to work. In an ABW, an employee may choose to work from several different work points over the course of the day depending on the task to be completed. Examples of work points include typical workstations with a desk and chair, a seat in the boardroom, an enclosed space, a seat in the kitchenette or a sofa/seat in an open collaborative space, etc.

Workstation

Area designated by either the arrangement of furniture, vertical panels or otherwise with equipment for the performance of a work activity.

