



# Community of Practice

## GCworkplace Space Planning Workbook Demo

January, 19<sup>th</sup> 2023

# Communauté de Pratique

## Démonstration du Cahier de Planification du Milieu de travail GC

19 Janvier 2023

# Where to find our Tools? Où trouver nos outils?



## Liens Externes

### External Access

GCwiki:

EN: [Link](#)

FR: [Link](#)



## Cahier de Plannification

### Workbook

GCwiki:

EN: [Link](#)

FR: [Link](#)



## Liens Interne

### Internal Access

GCpedia:

EN: [Link](#)

FR: [Link](#)



## Cahier de Plannification

### Workbook

GCpedia:

EN: [Link](#)

FR: [Link](#)



# May 2022 Notable Updates:

## General:

- Target Occupancy was 12m<sup>2</sup>/person - now 11m<sup>2</sup>/person
- Incorporated a larger turning radius in all collaborative workpoints, and most individual workpoints (1700mm)

## Other updates:

- Removed: Active Workstations
- Added: Wellness Rooms (Support Space)
- Touchdown was re-categorized as a secondary individual workpoint
- Focus Pods were split into two categories – Work Pod (primary individual workpoint) & Focus Pod (replaces the previous Reflection Point workpoint)

## Workpoint average room size & occupancy adjustments:

- Focus Pod: was 4m<sup>2</sup> – now 2.5m<sup>2</sup>
- Work Pod: is 2.5m<sup>2</sup>
- Study: was 3m<sup>2</sup> per occupant – now 4m<sup>2</sup>, with no more min. occupant requirement
- Chat Point: was 3m<sup>2</sup> – now 4m<sup>2</sup>

- Huddle: was 8m<sup>2</sup> – now 5m<sup>2</sup>
- Work Room: was 15m<sup>2</sup> – now 16m<sup>2</sup>
- Medium Meeting Room: was 30m<sup>2</sup> – now 32m<sup>2</sup>, and was 12 occupants – now 10 to 12 occupants
- Wellness Room: is 7.5m<sup>2</sup>
- Focus Rooms: now allows for up to 2 occupants
- Teaming Area: was 4 to 12 occupants – now 6 to 10 occupants
- Project Room: was 6 occupants – now 6 to 8 occupants

## Adjustments made to calculations:

- Lounge: The overall calculation has changed from 20m<sup>2</sup> to 10m<sup>2</sup> (remains 1m<sup>2</sup> per occupant)
- Wellness Room: New support space (1 room per 50 occupants)
- Kitchenette: The calculation was fixed to match the GCworkplace Technical Reference Manual (1-5m<sup>2</sup> for 1-24 occupants, 1-10m<sup>2</sup> for 25-49 occupants, 1-15m<sup>2</sup> for 50 to 149 occupants, 2-15m<sup>2</sup> for 150-300 occupants)



# Questions?

---

GC  
workplace

Interior Design  
National Centre  
of Expertise

Milieu de travail  
GC

Centre national  
d'expertise en  
design d'intérieur

## How to get in Touch!

### Comment nous contacter!

---

**Christine Pilon & Élissa Vallée**

Senior Workplace Strategists

Stratège Principal du Milieu de Travail

**General GCworkplace Inquiries:**

**Boîte Générale du Milieu de Travail GC:**

[TPSGC.SIMilieudeTravailGC-RPSGCWorkplace.PWGSC@tpsgc-pwgsc.gc.ca](mailto:TPSGC.SIMilieudeTravailGC-RPSGCWorkplace.PWGSC@tpsgc-pwgsc.gc.ca)

## Thank You!

## Merci!

---



Public Services and  
Procurement Canada

Services publics et  
Approvisionnement Canada

Canada